

**TABLE OF CONTENTS: 2017 AWWPA BOOK OF STANDARDS**

**Introduction – Page 1**

Introduction ..... 1

**Use Category System Standards – Page 5**

**U1-17: User Specification for Treated Wood**

1. Introduction to the Use Category System ..... 5  
 2. Service Conditions for Use Category Designations ..... 6  
 3. Guide to Treated Wood End Uses ..... 10  
 4. Standardized Preservatives ..... 14  
 5. Species and Species Groupings ..... 16  
 Commodity Specifications ..... 22  
     A. Sawn Products ..... 23  
     B. Posts ..... 40  
     C. Crossties and Switchties ..... 46  
     D. Poles ..... 48  
     E. Round Timber Piling ..... 54  
     F. Pressure-Treated Wood Composites ..... 56  
     G. Marine Applications ..... 62  
     H. Fire Retardant Treated Products ..... 68  
     I. Nonpressure Applications ..... 70  
     J. Non-Pressure Treated Wood Composites ..... 71

**T1-17: Processing and Treatment Standard**

Introduction ..... 73  
 1. General Requirements ..... 74  
 2. Treatment ..... 75  
 3. Results of Treatment ..... 76  
 4. Preservatives ..... 81  
 5. Quality Control and Inspection ..... 81  
 6. Retreatment ..... 81  
 7. Drying After Treatment ..... 81  
 Special Requirements by Commodity ..... 82  
     Section A: Sawn Products ..... 82  
     Section B: Posts ..... 87  
     Section C: Crossties and Switchties ..... 90  
     Section D: Poles ..... 92  
     Section E: Round Timber Piles ..... 99  
     Section F: Pressure-Treated Wood Composites ..... 101  
     Section G: Marine Applications ..... 105  
     Section H: Fire Retardant Treated Products ..... 109  
     Section I: Millwork and Manufactured Goods ..... 110  
     Section J: Non-Pressure Treated Wood Composites ..... 111

**Preservative/Protectant Standards – Page 115**

P1/P13-16: Standard for Creosote Preservative ..... 115  
 P2-16: Standard for Creosote Solution ..... 116  
 P3-14: Standard for Creosote-Petroleum Solution ..... 117  
 P18-14: Nonpressure Preservatives ..... 118

P20-15: All Barrier Protection Systems ..... 120  
 P22-14: Standard for Ammoniacal Copper Zinc Arsenate (ACZA) ..... 122  
 P23-14: Standard for Chromated Copper Arsenate Type C (CCA-C) ..... 123  
 P24-13: Standard for Alkyl Ammonium Compound, Waterborne (AAC-W) ..... 124  
 P25-16: Standard for Inorganic Boron (SBX) ..... 125  
 P26-14: Standard for Alkaline Copper Quat Type A (ACQ-A) ..... 126  
 P27-14: Standard for Alkaline Copper Quat Type B (ACQ-B) ..... 127  
 P28-14: Standard for Alkaline Copper Quat Type C (ACQ-C) ..... 128  
 P29-14: Standard for Alkaline Copper Quat Type D (ACQ-D) ..... 129  
 P32-15: Standard for Copper Azole Type B (CA-B) ..... 130  
 P33-13: Standard for Copper HDO Type A (CX-A) ..... 131  
 P34-14: Standard for Copper Naphthenate, Waterborne (CuN-W) ..... 132  
 P35-16: Standard for Pentachlorophenol (PCP) ..... 133  
 P36-16: Standard for Copper Naphthenate (CuN) ..... 134  
 P37-17: Standard for Oxine Copper (Copper 8 Quinolinolate) (Cu8) ..... 135  
 P38-13: Standard for Alkyl Ammonium Compound, Oilborne (AAC) ..... 136  
 P39-14: Standard for 4,5-Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI) ..... 137  
 P40-13: Standard for 3-Iodo-2-Propynyl Butyl-Carbamate (IPBC) ..... 138  
 P41-14: Standard for Tebuconazole (TEB) ..... 139  
 P42-13: Standard for Propiconazole (PPZ) ..... 140  
 P45-14: Standard for Propiconazole Tebuconazole Imidacloprid (PTI) ..... 141  
 P47-14: Standard for DCOI/Imidacloprid/Stabilizer, Waterborne (EL2) ..... 142  
 P48-15: Standard for Copper Azole Type C (CA-C) ..... 143  
 P49-15: Standard for Fire Retardant FR-1 (FR-1) ..... 144  
 P50-15: Standard for Fire Retardant FR-2 (FR-2) ..... 145  
 P51-14: Standard for Zinc Borate (ZB) ..... 146

P52-15: Standard for IPBC-SB-1 (IPBC-SB-1) .....	147	A16-16: Standard Method for Determination of Didecyldimethyl Ammonium Compounds in Treated Wood by HPLC .....	186
P53-15: Standard for IPBC/PPZ/TEB-SB-1 (IPBC/PPZ/TEB-SB-1) .....	148	A17-15: Standard for Determination of Quaternary Ammonium Compounds in ACQ Solutions .....	188
P55-16: Standard for Alkaline Copper Betaine (KDS) .....	149	A18-12: Standard for Determination of Quaternary Ammonium Compounds in Wood by 2-Phase Titration .....	189
P56-16: Standard for Alkaline Copper Betaine Type B (KDS-B) .....	150	A19-17: Standard Method for Sample Preparation for Determining Penetration of Preservatives in Wood .....	191
P57-16: Standard for Alkaline Copper Betaine (KDS) (nonpressure use) .....	151	A20-17: Standard Method for Chlorothalonil Assay .....	192
P58-15: Standard for 3-Iodo-2-Propynyl Butyl Carbamate/Permethrin (IPBC/PER) .....	152	A21-16: Standard Method for Analysis of Wood and Wood Treating Solutions by Inductively Coupled Plasma Emission Spectrometry .....	194
P59-17: Standard for Chemically Modified Wood, Type A (CM-A).....	153	A22-17: Standard Method for the Quantitative Determination of Creosote in AWWA P3 Creosote-Petroleum Oil Solutions (CPS) .....	198
P60-14: Standard for Inorganic Boron, Oilborne (SBX-O).....	154	A26-14: Standard Method for Analysis of Fire Retardant Solutions and Wood by Titration.....	200
P61-16: Standard for Micronized Copper Azole (MCA).....	155	A28-14: Standard Method for Determination of Propiconazole and Tebuconazole in Waterborne Formulations and in Treating Solutions by HPLC .....	202
P62-16: Standard for Micronized Copper Azole Type C (MCA-C) .....	156	A30-14: Standard Method for the Determination of 4,5 Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI) in Wood and Solutions by High Performance Liquid Chromatography (HPLC) .....	204

**Hydrocarbon Solvent Standards – Page 159**

HSA-14: Standard for Hydrocarbon Solvent, Type A.....	159
HSC-17: Standard for Hydrocarbon Solvent, Type C .....	160
HSF-17: Standard for Hydrocarbon Solvent, Type F .....	161
HSG-17: Standard for Hydrocarbon Solvent, Type G.....	162
HSH-14: Standard for Hydrocarbon Solvent, Type H.....	163

**Analysis Method Standards – Page 165**

A4-17: Standard Methods for Sampling Wood Preservatives .....	165	A33-14: Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Concentrates and Treating Solutions by Colorimetry .....	211
A6-15: Standard Method for the Determination of Retention of Oil-Type Preservatives from Small Samples .....	169	A34-14: Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Wood Treated with HDO Containing Solutions by HPLC .....	213
A7-12: Standard Wet Ashing Procedures for Preparing Wood for Chemical Analysis.....	172	A35-12: The Determination of the Propensity of a Ready-To-Use Oilborne/Oil-Type Wood Preservative Treating Solution to Form Stable Emulsions .....	215
A9-16: Standard Method for Analysis of Treated Wood and Treating Solutions by X-Ray Spectroscopy .....	173	A36-14: Standard for Determination of Quaternary Ammonium Compounds in Wood by Potentiometric Back-Titration Using Sodium Lauryl Sulfate and Hyamine 1622.....	217
A12-12: Wood Densities for Preservative Retention Calculations.....	178	A37-17: Standard for Determination of Quaternary Ammonium Compounds in Wood and Wood Treating Solutions by Potentiometric Titration Using Sodium Tetrphenylborate .....	221
A13-17: Standard Method of Analysis for Acid Number of Naphthenic Acids in Copper Naphthenate .....	180		
A14-17: Standard Method for Determination of Water-Extractable Copper in Copper Naphthenate .....	183		
A15-17: Referee Methods .....	185		

A40-13: Standard Methods for Determination of Boron Trioxide in Treating Solutions and Treated Wood by Potentiometric Titration with Sodium Hydroxide.....	226	A60-17: Standard Method for the Determination of Arsenic in Arsenic Containing Preservatives.....	265
A41-12: Standard Method for Determination of Naphthenic Acid in Copper Naphthenate in Wood and Treating Solutions by Gas Chromatography.....	229	A61-17: Standard Method for the Determination of Copper in Copper Containing Preservatives .....	267
A42-14: Standard Method for Determination of Technical Permethrin and Permethrin Isomers by HPLC Using UV Detection.....	233	A62-17: Standard Method to Determine the pH of Waterborne Treating Solutions .....	269
A43-14: Standard Method for Analysis of Imidacloprid in Wood and Waterborne Formulations.....	236	A63-17: Standard Method to Determine the Valency State of the Arsenic Component of Arsenic Containing Solutions.....	270
A46-14: Standard Method for Determining MCS Stabilizer Concentration in EL2 Treatment Solution Samples by Turbidity Measurement.....	238	A64-17: Standard Method to Determine the Amount of Boron Trioxide in Sodium Borate Wood Preservatives .....	271
A47-14: Standard Method for Determination of MCS Stabilizer Concentration in EL2 Treated Wood and Wood Treatment Solutions.....	239	A65-15: Standard Method to Determine the Amount of Boron in Treated Wood Using Azomethine-H or Carminic Acid.....	273
A48-15: Standard Method for Analysis of Propiconazole, Tebuconazole and Imidacloprid in Solutions and Treated Wood Products by High Performance Liquid Chromatography .....	242	A66-17: Standard Method for Determination of Chromium in Chromium Containing Preservatives .....	275
A49-15: Standard for Determination of Heartwood in Pines and Douglas-fir.....	244	A67-12: Standard Method for Determination of Carbonate in Ammoniacal Copper Zinc Arsenate.....	277
A50-12: Standard Method for Determination of Percent Bound Acetyl and Free Acetic Acid in Acetylated Wood by High Performance Liquid Chromatography.....	246	A68-16: Standard Method for Determining Penetration of Boron-Containing Preservatives and Fire Retardants.....	279
A51-17: Standard Method for Determining Penetration of Protectant in Acetylated Wood.....	251	A69-12: Standard Method to Determine the Penetration of Copper Containing Preservatives.....	280
A52-17: Standard Method for the Distillation of Creosote and Creosote Solutions.....	252	A70-12: Standard Method to Determine the Penetration of Pentachlorophenol Using a Silver-Copper Complex Known as Penta-Check.....	281
A53-17: Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	256	A71-12: Standard Method to Determine the Penetration of Solvent Used with Oil-Soluble Preservatives .....	282
A54-17: Alternate Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions .....	258	A72-12: Standard Method to Determine the Penetration of Copper in Wood Using Rubeanic Acid .....	283
A55-17: Standard Method for the Determination of the Specific Gravity of Oil-Type Preservatives.....	260	A73-12: Standard Method to Determine the Penetration of Phosphorus Containing Fire Retardants.....	284
A57-17: Standard Method for the Determination of Water in Oil-Type Preservatives .....	261	A74-12: Standard Method to Determine the Presence of Hexavalent Chromium (VI) in Wood Treated with Chromium Containing Preservatives.....	285
A58-17: Standard Method for Determining Conformance of Distillation Fractions of Creosote or Creosote Solution to Specific Gravity Requirements.....	263	A75-12: Standard Method to Determine the Penetration of Pentachlorophenol in Poles by X-Ray Fluorescence .....	286
A59-17: Standard Method for the Determination of Ammonia in Ammoniacal Preservatives and Fire Retardant Formulations .....	264	A76-14: Method for Determining Penetration of Copper-Containing Preservatives.....	287
		A77-12: Beilstein Test for Determining Presence or Penetration of Pentachlorophenol (PCP) in Wood.....	288
		A78-16: Standard Method to Determine the Penetration of Boron Containing Preservatives and Fire Retardants.....	289

A79-12: Standard Method for Determination of Total Acidity for Calculating Pentachlorophenol in Dry Chemical .....	290	M2-16: Standard for the Inspection of Preservative Treated Products for Industrial Use .....	327
A80-12: Standard Method for Determination of Alkali Insoluble Material in Pentachlorophenol .....	292	M3-16: Standard for the Quality Control of Preservative Treated Products for Industrial Use .....	334
A81-12: Standard Method for Determination of the Freezing Point of Pentachlorophenol .....	293	M4-15: Standard for the Care of Preservative-Treated Wood Products.....	337
A82-12: Standard Method for Determination of Pentachlorophenol Solvency .....	294	M6-13: Brands Used on Preservative Treated Materials .....	339
A83-12: Standard Method for Determination of Chloride for Calculating Pentachlorophenol in Solution or Wood .....	296	M13-15: Guidelines for a Pole Maintenance Program.....	340
A84-12: Standard Method for Determination of Copper in Copper Naphthenate Solution or in Wood Treated with Copper Naphthenate .....	304	M19-17: Standard for Destination Inspections .....	350
A85-12: Standard Method for Determining Conformance of Co-Solvent Used with Type A Hydrocarbon Solvents to Leaching Resistance (Pentachlorophenol) .....	306	M20-15: Guidelines for Minimizing Oil-Type Wood Preservative Migration.....	351
A86-12: Standard Method to Determine the Conformance of Auxiliary Solvent (Co-Solvent) Used with Type C Hydrocarbon Solvent to Water Solubility Requirement.....	307	M21-16: Standard for Quality Control Inspection of Nonpressure Preservative Treated Millwork Products.....	353
A87-12: Standard Method of Test for Emulsifiability of Type A Hydrocarbon Solvents and/or Auxiliary Solvents Used with Type A Hydrocarbon Solvents .....	308	M22-15: Standard for Third-Party Agency Evaluation of Inspection Data.....	355
A88-12: Standard Method for Determination of the Copper Content of Copper Soaps.....	309	M23-16: Third-Party Agency Assessment of Treating Plant Internal Quality Control (IQC) .....	358
A89-12: Standard Method for Colorimetric Analysis of Copper in Copper Naphthenate Treated Wood or Copper Naphthenate Solutions .....	310	M24-15: Standard for Quality Control Inspection of Nonpressure Preservative Treated Composite Wood Products .....	361
A90-12: Standard Method for the Determination of 3-Iodo-2-Propynyl Butyl Carbamate (IPBC) in Treating Solutions.....	312	M25-16: Standard for Quality Control and Inspection of Preservative Treated Products for Residential and Commercial Use.....	363
A91-12: Standard Method for Determination of Iodine and Chlorine in Wood Using Neutron Activation Analysis .....	314	M26-17: Guidelines for Fixation/Stabilization of Waterborne Preservatives in Poles.....	370
A92-13: Standard Method for Determining Penetration Using a Fluorescent Dye or Pigment Penetration Surrogate .....	316		
A93-15: Standard Method for using Color Machine Vision to Quantify the Extent of Penetration .....	317		
A94-17: Standard Method for Determination of IPBC/PER in Solution and Wood Using HPLC and Solid-Phase Extraction .....	319		

**Miscellaneous Standards – Page 323**

M1-15: Standard for the Purchase of Treated Wood Products.....	323
--	-----

**Evaluation Standards – Page 375**

E1-17: Laboratory Methods for Evaluating the Termite Resistance of Wood-Based Materials: Choice and No-Choice Tests.....	375
E4-15: Standard Method of Testing Water Repellency of Pressure Treated Wood.....	381
E5-15: Standard Field Test for Evaluation of Wood Preservatives to be Used in Marine Applications (UC5A, UC5B, UC5C); Panel and Block Tests.....	383
E7-15: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Stake Test.....	387
E8-15: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Post Test.....	395
E9-15: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3A and UC3B); L-Joint Test .....	398

E10-16: Laboratory Method for Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures: Soil/Block Test.....	402	E27-15: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Accelerated Horizontal Lap Joint Test.....	479
E11-16: Standard Method for Accelerated Evaluation of Preservative Leaching.....	414	E28-16: Standard Field Test for Serviceability of Decking.....	483
E12-15: Standard Method of Determining Corrosion of Metal in Contact with Treated Wood.....	417	E29-15: Antisapstain Field Test Method for Green Lumber.....	486
E13-15: Standard Method of Testing to Determine if Lumber has been Pressure Treated with a Water Repellent.....	420	E30-16: Standard Method for Evaluating Natural Decay Resistance of Woods Using Laboratory Decay Tests.....	490
E14-16: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact: Soil Bed Test.....	421	<b>Regulations – Page 495</b>	
E15-17: Laboratory Method for Evaluating the Efficacy of Diffusible or Volatile Remedial Preservatives Against Pure Basidiomycete Cultures: Inoculated Block Test.....	426	AWPA Technical Committee Regulations.....	495
E16-16: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Horizontal Lap-Joint Test.....	429	Annex 1 – Operating Procedures for Accredited Standards Committee O5.....	508
E17-15: Standard Method for Determining Corrosion Rates of Metals in Contact with Treating Solution.....	434	<b>Guidance Documents – Page 515</b>	
E18-15: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Ground Proximity Decay Test.....	436	A. Data Requirement Guidelines for Listing Wood Preservatives in the AWWA Standards.....	515
E19-16: Standard Method for Determining Preservative Fixation of Inorganic Waterborne Wood Preservatives.....	441	B. Guidelines for Evaluating New Fire Retardants for Consideration by AWWA.....	524
E20-15: Standard Method for Determining the Depletion of Wood Preservatives in Soil Contact.....	443	C. Protocol for Standardization of New Millwork Preservative Systems.....	528
E21-15: Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Full-Size Commodity Termite Test.....	446	D. Protocol for Standardization of New Wood Preservative Finishes.....	530
E22-16: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures Using Compression Strength: Soil/Wafer Test.....	451	E. Recommended Method for Determining the Treatability of a Species for Inclusion in the AWWA Use Category System Commodity Specifications for Sawn Material.....	533
E23-16: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact Using Static Bending: Soil Jar Test.....	459	F. Guidelines for Evaluating Composite Wood Products Preservative Treated Using Nonpressure Processes.....	535
E24-16: Laboratory Method for Evaluating the Mold Resistance of Wood-Based Materials: Mold Chamber Test.....	463	G. Surface Applied Wood Preservative Finish Performance Testing Guidelines.....	540
E25-15: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Decking Test.....	468	H. Evaluating Preservatives for Remedial Treatment.....	543
E26-15: Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Ground Proximity Termite Test.....	472	I. Reaffirmation Requirement Guidelines.....	547
		J. Preservatives Review Board Procedures (suspended).....	550
		K. Data Requirement Guidelines for Solvents Used with Oil-borne Preservatives.....	551
		L. Data Requirement Guidelines for Listing Chemically Modified Wood with Enhanced Durability in the AWWA Standards.....	557
		M. Data Requirement Guidelines for Evaluating Performance Enhancing Additives (PEA).....	563

N. Data Requirements for Listing Thermally Modified Wood with Enhanced Durability in the AWPA Standards .....565

**Other Information – Page 572**

List of Technical Committees .....572  
Technical Committee Application.....573  
AWPA Standardization Proposal Form.....574  
Publications List and Order Form .....575  
AWPA Membership Application .....577  
Factors 0: Unit Conversion Factors .....581  
Factors 1: Volume and Specific Gravity Conversion Tables for Creosote and Creosote Solution .....582

Factors 2: Abridged Volume and Specific Gravity Correction Tables for Petroleum Oils and Pentachlorophenol and Copper Naphthenate Solutions ..... 584  
Factors 3: Volumes of Round Forest Products..... 588  
Factors 4: Volume Correction Table for Creosote-Petroleum Solutions ..... 602  
Factors 5: Volume Correction Factors for Preservative Salt Solutions..... 603  
Factors 6: Miscellaneous Conversion Factors and Correction Tables..... 604  
Factors 7: Approximate Pole Weight Tables ..... 606  
Glossary of Terms Used in Wood Protection..... 613

### Recently Withdrawn AWWA Standards

A1-15: Standard Methods for Analysis of Creosote and Oil-Type Preservatives	E6-05: Standard Method for Determining the Equilibrium Moisture Content of Treated Wood
A2-15: Standard Methods for Analysis of Waterborne Preservatives and Fire Retardant Formulations	M18-05: Standard Quality Control Procedures for Permanent Wood Foundation Materials
A3-15: Standard Methods for Determining Penetration of Preservatives and Fire Retardants	P4-11: Standard for Petroleum Oil for Blending with Creosote
A5-15: Standard Methods for Analysis of Oil-Borne Preservatives	P5-11: Standard for Waterborne Preservatives
A32-10: Standard Method for Measuring Losses of Inorganic Preservatives from Treated Wood	P8-14: Standard for Oil-Borne Preservatives
A38-04: Standard Method for Determination of PXTS in Treated Wood by HPLC with UV Detection	P9-10: Standards for Solvents and Formulations for Organic Preservative Systems
A39-05: Standard Method for Determination of PXTS in Wood Treatment Solutions by HPLC with UV Detection	P19-04: Standard for Oligomeric Alkylphenol Polysulfide (PXTS) Preservative
A44-08: Standard Method for Determination of Cyproconazole in Solventborne Wood Treating Solutions by HPLC	P21-11: Standard for Acid Copper Chromate (ACC)
A45-08: Standard Method for Determination of Cyproconazole in Wood Extracts by HPLC	P30-08: Standard for Copper bis(dimethyldithiocarbamate) (CDDC)
A56-11: Standard Method for the Determination of the Specific Gravity of Distillation Fractions and Residue	P43-08: Standard for Chlorpyrifos (CPF)
	P44-08: Standard for Permethrin (PER)
	P46-08: Standard for Cyproconazole (CPZ)
	P54-09: Standard for Alkaline Copper DCOI (ACD)

#### Notes:

AWPA "C Standards" (e.g., C1, C2, C9, etc.) were last updated during the Fall 2002 Standardization Cycle and final editions were printed in the 2003 and 2004 AWWA Books of Standards. All specifications for treated wood products from the C Standards are now found in the AWWA Use Category System Standards U1 and T1. If you are a specifier, you may simply change all of your C Standard references to AWWA Standard U1. If you are a manufacturer of treated wood products, you will need to refer to Standard T1 for the treating requirements to enable you to determine conformance to Standard U1. If references to the C Standards are still needed, individual standards may be purchased online at [www.awpa.com](http://www.awpa.com) or by contacting AWWA to purchase older editions of the Book of Standards.

AWPA "F Standards" (e.g., F1, F2, etc.) were withdrawn as AWWA Standards during the Fall 2008 Standardization Cycle, and are now printed as "Factors" tables in the back of the AWWA Book of Standards.