

**TABLE OF CONTENTS: 2026 AWPAA BOOK OF STANDARDS**

**Introduction – Page 1**

Introduction.....1

**Use Category System Standards – Page 7**

**U1-26: User Specification for Treated Wood**  
 1. Introduction to the Use Category System.....7  
 2. Service Conditions for Use Category Designations .....8  
 3. Guide to Treated Wood End Uses.....12  
 4. Standardized Preservatives.....18  
 5. Species and Species Groupings.....20  
 6. Management of Used Treated Wood .....26  
 Commodity Specifications .....27  
     A. Sawn Products.....28  
     B. Posts .....45  
     C. Crossties and Switchties.....52  
     D. Poles.....54  
     E. Round Timber Piling .....60  
     F. Pressure-Treated Wood Composites.....62  
     G. Marine (Salt Water) Applications .....71  
     H. Fire Retardants .....77  
     I. Nonpressure Applications.....79  
     J. Non-Pressure Treated Wood Composites .....80  
     K. Barrier Protection Systems.....81

**T1-26: Processing and Treatment Standard**  
 Introduction.....83  
 1. General Requirements.....84  
 2. Treatment .....85  
 3. Results of Treatment .....86  
 4. Preservatives .....91  
 5. Quality Control and Inspection .....91  
 6. Retreatment .....91  
 7. Drying After Treatment.....91  
 Special Requirements by Commodity.....92  
     Section A: Sawn Products.....92  
     Section B: Posts .....98  
     Section C: Crossties and Switchties.....101  
     Section D: Poles.....103  
     Section E: Round Timber Piles.....110  
     Section F: Pressure-Treated Wood Composites.....112  
     Section G: Marine (Salt Water) Applications.....117  
     Section H: Fire Retardant Treated Products .....121  
     Section I: Millwork and Manufactured Goods.....122  
     Section J: Non-Pressure Treated Wood Composites ...123

**Preservative/Protectant Standards – Page 127**

P1/P13-24: Standard for Creosote Preservative .....127  
 P2-24: Standard for Creosote Solution.....128  
 P3-24: Standard for Creosote-Petroleum Solution .....129

P20-18 (*Reaffirmed 2021*): All Barrier Protection Systems ..... 130  
 P22-20 (*Reaffirmed 2026*): Standard for Ammoniacal Copper Zinc Arsenate (ACZA)..... 132  
 P23-14 (*Reaffirmed 2026*): Standard for Chromated Copper Arsenate Type C (CCA-C)..... 133  
 P24-19: (*Reaffirmed 2025*) Standard for Alkyl Ammonium Compounds, Waterborne (AAC-W) ..... 134  
 P25-26: Standard for Inorganic Boron (SBX) ..... 135  
 P26-20: (*Withdrawn 2026*) Standard for Alkaline Copper Quat Type A (ACQ-A)..... 136  
 P27-20: (*Withdrawn 2026*) Standard for Alkaline Copper Quat Type B (ACQ-B) ..... 137  
 P28-20: (*Withdrawn 2026*) Standard for Alkaline Copper Quat Type C (ACQ-C)..... 138  
 P29-20: (*Withdrawn 2026*) Standard for Alkaline Copper Quat Type D (ACQ-D)..... 139  
 P32-25: Standard for Copper Azole Type B (CA-B)..... 140  
 P34-26: Standard for Copper Naphthenate, Waterborne (CuN-W) ..... 141  
 P35-16 (*Reaffirmed 2022*): Standard for Pentachlorophenol (PCP)..... 142  
 P36-22: Standard for Copper Naphthenate (CuN) ..... 143  
 P37-23: Standard for Oxine Copper (Copper 8-Quinolate) (Cu8)..... 144  
 P38-19 (*Reaffirmed 2025*): Standard for Alkyl Ammonium Compounds, Oilborne (AAC)..... 145  
 P39-18 (*Reaffirmed 2026*): Standard for 4,5-Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI)..... 146  
 P40-19 (*Reaffirmed 2025*): Standard for 3-Iodo-2-Propynyl Butyl-Carbamate (IPBC)..... 147  
 P41-14 (*Reaffirmed 2026*): Standard for Tebuconazole (TEB)..... 148  
 P42-19 (*Reaffirmed 2025*): Standard for Propiconazole (PPZ) ..... 149  
 P45-20 (*Reaffirmed 2026*): Standard for Propiconazole Tebuconazole Imidacloprid (PTI) ..... 150  
 P47-20 (*Reaffirmed 2026*): Standard for DCOI/Imidacloprid/Stabilizer, Waterborne (EL2) ..... 151  
 P48-15 (*Reaffirmed 2021*): Standard for Copper Azole Type C (CA-C) ..... 152

P49-15 ( <i>Reaffirmed 2021</i> ): Standard for Fire Retardant FR-1 (FR-1) .....	153	A7-22: Standard Wet Ashing Procedures for Preparing Wood for Chemical Analysis .....	185
P50-15 ( <i>Reaffirmed 2021</i> ): Standard for Fire Retardant FR-2 (FR-2) .....	154	A9-21: Standard Method for Analysis of Treated Wood and Treating Solutions by X-Ray Spectroscopy .....	187
P51-20 ( <i>Reaffirmed 2026</i> ): Standard for Zinc Borate (ZB).....	155	A12-25: Wood Densities for Preservative Retention Calculations .....	193
P52-15 ( <i>Reaffirmed 2021</i> ): Standard for IPBC-SB-1 (IPBC-SB-1).....	156	A13-23: Standard Method of Analysis for Acid Number of Naphthenic Acids in Copper Naphthenate.....	195
P53-15 ( <i>Reaffirmed 2021</i> ): Standard for IPBC/PPZ/TEB-SB-1 (IPBC/PPZ/TEB-SB-1) .....	157	A14-23: Standard Method for Determination of Water-Extractable Copper in Copper Naphthenate.....	198
P55-22: Standard for Alkaline Copper Betaine (KDS) .....	158	A15-25: Referee Methods.....	200
P56-22: Standard for Alkaline Copper Betaine Type B (KDS-B) .....	159	A16-22: Standard Method for Determination of Didecyldimethyl Ammonium Compounds in Treated Wood by HPLC .....	201
P57-22: Standard for Alkaline Copper Betaine (KDS) ( <i>nonpressure use</i> ) .....	160	A17-15 ( <i>Reaffirmed 2021</i> ): Standard for Determination of Quaternary Ammonium Compounds in ACQ Solutions.....	203
P58-21: Standard for 3-Iodo-2-Propynyl Butyl Carbamate/Permethrin (IPBC/PER).....	161	A18-24: Standard for Determination of Quaternary Ammonium Compounds in Wood by 2-Phase Titration .....	205
P59-23: Standard for Chemically Modified Wood, Type A (CM-A).....	162	A19-25: Standard Method for Sample Preparation for Determining Penetration of Preservatives in Wood.....	207
P60-14 ( <i>Withdrawn 2026</i> ): Standard for Inorganic Boron, Oilborne (SBX-O).....	163	A21-24: Standard Method for the Analysis of Wood and Wood Treating Solutions by Inductively Coupled Plasma Emission Spectrometry.....	208
P61-25: Standard for Micronized Copper Azole (MCA).....	164	A22-17 ( <i>Reaffirmed 2023</i> ): Standard Method for the Quantitative Determination of Creosote in AWPA P3 Creosote-Petroleum Oil Solutions (CPS).....	214
P62-16 ( <i>Reaffirmed 2022</i> ): Standard for Micronized Copper Azole Type C (MCA-C).....	165	A26-20 ( <i>Reaffirmed 2026</i> ): Standard Method for Analysis of Fire Retardant Solutions and Wood by Titration .....	216
P63-23 Standard for Micronized Copper Quat Type D (MCQ-D).....	166	A28-14 ( <i>Reaffirmed 2026</i> ): Standard Method for Determination of Propiconazole and Tebuconazole in Waterborne Formulations and in Treating Solutions by HPLC .....	218
P64-25 Standard for Micronized Copper Azole Penflufen (MCAP) .....	167	A30-25: Standard Method for the Determination of 4,5 Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI) in Wood and Solutions by High Performance Liquid Chromatography (HPLC) .....	220
P65-25 Standard for Copper Borax, Encapsulated (CuBE)168		A31-25: Standard Methods for the Analysis of Azoles in Solutions and Azoles and Penflufen in Wood by Gas Chromatography (GC) .....	224
<b>Hydrocarbon Solvent Standards – Page 171</b>		A33-14 ( <i>Withdrawn 2026</i> ): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Concentrates and Treating Solutions by Colorimetry.....	230
HSA-23: Standard for Hydrocarbon Solvent, Type A .....	171		
HSC-17 ( <i>Reaffirmed 2023</i> ): Standard for Hydrocarbon Solvent, Type C.....	172		
HSF-17 ( <i>Reaffirmed 2023</i> ): Standard for Hydrocarbon Solvent, Type F .....	173		
HSG-23: Standard for Hydrocarbon Solvent, Type G .....	174		
HSH-18 ( <i>Reaffirmed 2024</i> ): Standard for Hydrocarbon Solvent, Type H .....	175		
<b>Analysis Method Standards – Page 177</b>			
A4-19 ( <i>Reaffirmed 2025</i> ): Standard Methods for Sampling Wood Preservatives .....	177		
A6-20 ( <i>Reaffirmed 2026</i> ): Standard Method for the Determination of Retention of Oil-Type Preservatives from Small Samples .....	182		

A34-14 ( <i>Withdrawn 2026</i> ): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Wood Treated with HDO Containing Solutions by HPLC .....	231	A53-17 ( <i>Reaffirmed 2023</i> ): Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	278
A35-25: The Determination of the Propensity of a Ready-To-Use Oil-borne/Oil Type Wood Preservative Treating Solution to Form Stable Emulsions.....	232	A54-23: Alternate Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	280
A36-26: Standard for Determination of Quaternary Ammonium Compounds in Wood by Potentiometric Back-Titration Using Sodium Lauryl Sulfate and Hyamine 1622 .....	234	A55-23: Standard Method for the Determination of the Specific Gravity of Oil-Type Preservatives .....	282
A37-23: Standard for Determination of Quaternary Ammonium Compounds and Polymeric Betaine in Wood and Wood Treating Solutions by Potentiometric Titration Using Sodium Tetraphenylborate .....	238	A57-17 ( <i>Reaffirmed 2023</i> ): Standard Method for the Determination of Water in Oil-Type Preservatives.....	283
A40-21: Standard Methods for Determination of Boron Trioxide in Treating Solutions and Treated Wood by Potentiometric Titration with Sodium Hydroxide.....	243	A59-23: Standard Method for the Determination of Ammonia in Ammoniacal Preservatives and Fire Retardant Formulations.....	285
A41-24: Standard Method for Determination of Naphthenic Acid in Copper Naphthenate in Wood and Treating Solutions by Gas Chromatography .....	246	A62-23: Standard Method to Determine the pH of Waterborne Wood Preservative Treating Solutions.....	286
A42-26: Standard Method for Determination of Technical Permethrin and Permethrin Isomers by HPLC Using UV Detection.....	250	A63-17 ( <i>Reaffirmed 2023</i> ): Standard Method to Determine the Valency State of the Arsenic Component of Arsenic Containing Solutions .....	287
A43-22: Standard Method for Analysis of Imidacloprid in Wood and Waterborne Formulations.....	254	A64-21: Standard Method to Determine the Amount of Boron Trioxide in Sodium Borate Wood Preservatives .....	288
A46-20 ( <i>Reaffirmed 2026</i> ): Standard Method for Determining MCS Stabilizer Concentration in EL2 Treatment Solution Samples by Turbidity Measurement.....	257	A65-21: Standard Method to Determine the Amount of Boron in Treated Wood Using Azomethine-H or Carminic Acid.....	290
A47-20 ( <i>Reaffirmed 2026</i> ): Standard Method for Determination of MCS Stabilizer Concentration in EL2 Treated Wood and Wood Treatment Solutions .....	259	A66-23: Standard Method for Determination of Chromium in Chromium Containing Preservatives.....	292
A48-23: Standard Method for Analysis of Propiconazole, Tebuconazole and Imidacloprid in Solutions and Treated Wood Products by High Performance Liquid Chromatography.....	262	A67-18 ( <i>Reaffirmed 2024</i> ): Standard Method for Determination of Carbonate in Ammoniacal Copper Zinc Arsenate.....	294
A49-21: Standard for Determination of Heartwood in Pines and Douglas-fir.....	265	A68-22: Standard Method for Determining Penetration of Boron-Containing Preservatives and Fire Retardants.....	296
A50-18 ( <i>Reaffirmed 2024</i> ): Standard Method for Determination of Percent Bound Acetyl and Free Acetic Acid in Acetylated Wood by High Performance Liquid Chromatography.....	267	A69-23: Standard Method to Determine the Penetration of Copper Containing Preservatives .....	297
A51-19 ( <i>Reaffirmed 2025</i> ): Standard Method for Determining Penetration of Protectant in Acetylated Wood.....	273	A70-18 ( <i>Reaffirmed 2024</i> ): Standard Method to Determine the Penetration of Pentachlorophenol Using a Silver-Copper Complex Known as Penta-Check .....	298
A52-17 ( <i>Reaffirmed 2023</i> ): Standard Method for the Distillation of Creosote and Creosote Solutions .....	274	A71-24: Standard Method to Determine the Penetration of Solvent Used with Oil-Soluble Preservatives.....	299
		A72-18 ( <i>Reaffirmed 2024</i> ): Standard Method to Determine the Penetration of Copper in Wood Using Rubenic Acid.....	300
		A73-18 ( <i>Reaffirmed 2024</i> ): Standard Method to Determine the Penetration of Phosphorus Containing Fire Retardants.....	301

A74-18 ( <i>Reaffirmed 2024</i> ): Standard Method to Determine the Presence of Hexavalent Chromium (VI) in Wood Treated with Chromium Containing Preservatives .....	302	A92-19 ( <i>Reaffirmed 2025</i> ): Standard Method for Determining Penetration Using a Fluorescent Dye or Pigment Penetration Surrogate.....	330
A75-18 ( <i>Reaffirmed 2024</i> ): Standard Method to Determine the Penetration of Pentachlorophenol in Poles by X-Ray Fluorescence .....	303	A93-23: Standard Method for using Color Machine Vision to Quantify the Extent of Penetration.....	331
A76-14 ( <i>Withdrawn 2026</i> ): Method for Determining Penetration of Copper-Containing Preservatives .....	304	A94-24: Standard Method for Determination of IPBC/PER in Solution and Wood Using HPLC and Solid-Phase Extraction.....	334
A77-18 ( <i>Reaffirmed 2024</i> ): Beilstein Test for Determining Presence or Penetration of Pentachlorophenol (PCP) in Wood .....	305	A95-22: Standard Method for Determination of Mold Inhibitors MIT/CMIT and OIT in Treating Solution by High Performance Liquid Chromatography.....	338
A78-22: Standard Method to Determine the Penetration of Boron Containing Preservatives and Fire Retardants .....	306	A96-24: Standard Methods for Detecting Copper Containing Preservatives in Treated Wood.....	341
A79-18 ( <i>Reaffirmed 2024</i> ): Standard Method for Determination of Total Acidity for Calculating Pentachlorophenol in Dry Chemical .....	307	A97-25: Standard Method for Determination of Penflufen in Solutions by High Performance Liquid Chromatography (HPLC) .....	343
A80-18 ( <i>Reaffirmed 2024</i> ): Standard Method for Determination of Alkali Insoluble Material in Pentachlorophenol.....	309	A98-26: Standard Method for the Determination of DCOI based (EL2) in Preservative-Treated Wood Using Near-Infrared (NIR) Spectroscopy .....	346
A81-18 ( <i>Reaffirmed 2024</i> ): Standard Method for Determination of the Freezing Point of Pentachlorophenol.....	310	<b>Miscellaneous Standards – Page 351</b>	
A82-18 ( <i>Reaffirmed 2024</i> ): Standard Method for Determination of Pentachlorophenol Solvency.....	311	M1-21: Standard for the Purchase of Treated Wood Products .....	351
A83-18 ( <i>Reaffirmed 2024</i> ): Standard Method for Determination of Chloride for Calculating Pentachlorophenol in Solution or Wood .....	313	M2-25: Standard for the Inspection of Preservative Treated Products for Industrial Use .....	355
A85-25: Standard Method for Determining Conformance of Co-Solvent Used with Type A Hydrocarbon Solvents to Leaching Resistance (Pentachlorophenol) .....	321	M3-16 ( <i>Reaffirmed 2022</i> ): Standard for the Quality Control of Preservative Treated Products for Industrial Use.....	363
A86-19 ( <i>Reaffirmed 2025</i> ): Standard Method to Determine the Conformance of Auxiliary Solvent (Co-Solvent) Used with Type C Hydrocarbon Solvent to Water Solubility Requirement .....	322	M4-26: Standard for the Handling, Storage, Field Fabrication and Field Treatment of Preservative-Treated Wood Products.....	366
A87-18 ( <i>Reaffirmed 2024</i> ): Standard Method of Test for Emulsifiability of Type A Hydrocarbon Solvents and/or Auxiliary Solvents Used with Type A Hydrocarbon Solvents.....	323	M6-24: Brands Used on Preservative Treated Materials .....	368
A88-24: Standard Method for Determination of the Copper Content of Copper Soaps.....	324	M13-21: Guidelines for a Pole Maintenance Program.....	369
A90-18 ( <i>Reaffirmed 2024</i> ): Standard Method for the Determination of 3-Iodo-2-Propynyl Butyl Carbamate (IPBC) in Treating Solutions .....	326	M19-17 ( <i>Reaffirmed 2023</i> ): Standard for Destination Inspections .....	379
A91-24: Standard Method for Determination of Iodine and Chlorine in Wood Using Neutron Activation Analysis.....	328	M20-15 ( <i>Reaffirmed 2021</i> ): Guidelines for Minimizing Oil-Type Wood Preservative Migration.....	380
		M21-16 ( <i>Reaffirmed 2022</i> ): Standard for Quality Control Inspection of Nonpressure Preservative Treated Millwork Products .....	382
		M22-24: Standard for Third-Party Agency Evaluation of Inspection Data.....	384
		M23-22: Third-Party Agency Assessment of Treating Plant Internal Quality Control (IQC) .....	387
		M24-15 ( <i>Reaffirmed 2021</i> ): Standard for Quality Control Inspection of Nonpressure Preservative Treated Composite Wood Products .....	390

M25-26: Standard for Quality Control and Inspection of Preservative Treated Products for Residential and Commercial Use.....	392	E18-24: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Ground Proximity Decay Test .....	476
M26-23: Guidelines for Fixation/Stabilization of Waterborne Preservatives in Poles .....	401	E19-22: Standard Method for Determining Preservative Fixation of Inorganic Waterborne Wood Preservatives .....	482
M27-20 ( <i>Reaffirmed 2026</i> ): Protective Barriers for Minimizing Preservative Migration from Piles, Poles and Timber Used in Aquatic Applications .....	404	E20-21: Standard Method for Determining the Depletion of Wood Preservatives in Soil Contact.....	484
<b>Evaluation Standards – Page 407</b>			
E1-23: Laboratory Methods for Evaluating the Termite Resistance of Wood-Based Materials: Choice and No-Choice Tests .....	407	E21-18 ( <i>Reaffirmed 2024</i> ): Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Full-Size Commodity Termite Test.....	487
E4-21: Standard Method of Testing the Efficacy of Water Repellent Formulations .....	416	E22-22: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures Using Compression Strength: Soil/Wafer Test.....	492
E5-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Marine Applications (UC5A, UC5B, UC5C); Panel and Block Tests.....	418	E23-16 ( <i>Reaffirmed 2022</i> ): Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact Using Static Bending: Soil Jar Test.....	500
E7-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Stake Test .....	422	E24-21: Laboratory Method for Evaluating the Mold Resistance of Wood-Based Materials: Mold Chamber Test .....	504
E8-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Post Test .....	431	E25-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Decking Test.....	509
E9-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3A and UC3B); L-Joint Test.....	435	E26-21: Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Ground Proximity Termite Test .....	513
E10-22: Laboratory Method for Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures: Soil/Block Test.....	441	E27-15 ( <i>Reaffirmed 2021</i> ): Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Accelerated Horizontal Lap Joint Test .....	520
E11-16 ( <i>Reaffirmed 2022</i> ): Standard Method for Accelerated Evaluation of Preservative Leaching.....	453	E28-22: Standard Field Test for Serviceability of Decking.....	525
E12-20 ( <i>Reaffirmed 2026</i> ): Standard Method of Determining Corrosion of Metal in Contact with Treated Wood.....	456	E29-21: Antisapstain Field Test Method for Green Lumber.....	529
E13-21: Standard Method to Determine if Lumber has been Pressure Treated with a Water Repellent.....	459	E30-22: Standard Method for Evaluating Natural Decay Resistance of Woods Using Laboratory Decay Tests .....	533
E14-22: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact: Soil Bed Test .....	461	E31-24: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used in Ground Contact (UC4): Block Test.....	537
E15-23: Laboratory Method for Evaluating the Efficacy of Diffusible or Volatile Remedial Preservatives Against Pure Basidiomycete Cultures: Inoculated Block Test .....	466	E32-24: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used Above Ground (UC3B): Modified Post and Rail Test .....	539
E16-22: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Horizontal Lap-Joint Test.....	469	E33-24: Standard Test Method of Evaluating Wood Preservatives Against Decay in Use Category 2 (UC2).....	542
E17-15 ( <i>Reaffirmed 2021</i> ): Standard Method for Determining Corrosion Rates of Metals in Contact with Treating Solution.....	474		

E34-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Out of Ground Contact: Horizontal Sandwich Method..... 545

E35-21: Standard Field Test for Evaluation of the Depletion of Wood Preservatives from Wood Used Above Ground; (UC3A and UC3B)..... 548

**Regulations – Page 553**

AWPA Technical Committee Regulations..... 553  
Annex 1 – Operating Procedures for Accredited Standards Committee O5 ..... 569

**Guidance Documents – Page 577**

GDA-17: Data Requirement Guidelines for Listing Wood Preservatives in the AWWA Standards ..... 577  
GDB-13: Guidelines for Evaluating New Fire Retardants for Consideration by AWWA ..... 586  
GDC-13: Protocol for Standardization of New Millwork Preservative Systems..... 590  
GDD-13: Protocol for Standardization of New Wood Preservative Finishes..... 592  
GDE-15: Recommended Method for Determining the Treatability of a Species for Inclusion in the AWWA Use Category System Commodity Specification for Sawn Material..... 595  
GDF-21: Guidelines for Evaluating Composite Wood Products Preservative Treated Using Nonpressure Processes ..... 597  
GDG-13: Surface Applied Wood Preservative Finish Performance Testing Guidelines ..... 602  
GDH-13: Evaluating Preservatives for Remedial Treatment ..... 605  
GDI-25: Reaffirmation Requirement Guidelines ..... 609  
GDJ-13: Preservatives Review Board Procedures (suspended) ..... 612  
GDK-13: Data Requirement Guidelines for Solvents Used with Oil-Borne Preservatives ..... 613  
GDL-15: Data Requirement Guidelines for Listing Chemically Modified Wood with Enhanced Durability in the AWWA Standards ..... 619

GDM-13: Data Requirement Guidelines for Evaluating Performance Enhancing Additives (PEA) ..... 625

GDN-13: Data Requirements for Listing Thermally Modified Wood with Enhanced Durability in the AWWA Standards ..... 627

GDO-19: Guidelines for AWWA Analytical Method Standards..... 633

GDP-19: Standard Practice for Determining Minimum Efficacy Thresholds for New UC4A Preservatives ..... 638

**Other Information – Page 643**

Technical and Special Committees (February 2026) ..... 643  
Committee Membership Application..... 647  
Publications List and Order Form..... 649  
AWPA Membership Application..... 651  
Factors 0: Unit Conversion Factors ..... 655  
Factors 1: Volume and Specific Gravity Conversion Tables for Creosote and Creosote Solution..... 656  
Factors 2: Abridged Volume and Specific Gravity Correction Tables for Petroleum Oils and Oilborne Preservative Solutions..... 658  
Factors 3: Volumes of Round Forest Products ..... 662  
Factors 4: Volume Correction Table for Creosote-Petroleum Solutions ..... 676  
Factors 5: Volume Correction Factors for Preservative Salt Solutions ..... 677  
Factors 6: Miscellaneous Conversion Factors and Correction Tables..... 678  
Factors 7: Approximate Pole Weight Tables ..... 680  
Glossary of Terms Used in Wood Protection ..... 687

### **Recently Withdrawn AWWA Standards**

- A1-15: Standard Methods for Analysis of Creosote and Oil-Type Preservatives
- A2-15: Standard Methods for Analysis of Waterborne Preservatives and Fire Retardant Formulations
- A3-15: Standard Methods for Determining Penetration of Preservatives and Fire Retardants
- A5-15: Standard Methods for Analysis of Oil-Borne Preservatives
- A20-17: Standard Method for Chlorothalonil Assay
- A33-14: Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Concentrates and Treating Solutions by Colorimetry
- A34-14: Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Wood Treated with HDO Containing Solutions by HPLC
- A58-17: Standard Method for Determining Conformance of Distillation Fractions of Creosote or Creosote Solution to Specific Gravity Requirements
- A60-17: Standard Method for the Determination of Arsenic in Arsenic Containing Preservatives
- A61-17: Standard Method for the Determination of Copper in Copper Containing Preservatives
- A76-14: Method for Determining Penetration of Copper-Containing Preservatives
- P8-14: Standard for Oil-Borne Preservatives
- P18-14: Nonpressure Preservatives
- P26-20: Standard for Alkaline Copper Quat Type A (ACQ-A)
- P27-20: Standard for Alkaline Copper Quat Type B (ACQ-B)
- P28-20: Standard for Alkaline Copper Quat Type C (ACQ-C)
- P29-20: Standard for Alkaline Copper Quat Type D (ACQ-D)
- P33-18: Standard for Copper HDO Type A (CX-A)
- P60-14: Standard for Inorganic Boron, Oilborne (SBX-O)