

AWPA Fall 2006 Standardization Proposals

Cycle	Serial	Comm	Std.	Proponent	Description	Action
06F	P01	P3	NA	Jim Brient	Recommend to Treatments Committees that all CuNap retentions currently listed in Standard U1 are suitable for use in areas subject to Formosan Subterranean Termite activity.	Subcommittee Action: Motion, Mike Freeman; Second, Dick Jackson. Approved as proposed - 15 Yes, 2 No, 3 Abstain. General Committee Ballot: Approved - 42 Yes, 0 No, 5 Abstain Executive Committee Final Action: Ratified
06F	P02	P8	P18	Mark Mankowski	Reaffirmation of Zinc Borate in Standard P18-06 as written.	Subcommittee Action: Motion, Mark Manning Second, Tom Woods. Approved as proposed - Unanimous. General Committee Ballot: Approved- 45 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified
06F	P03	P6	E7	Darrel Nicholas	Replace existing decay and termite grading system with a system more consistent between all "E" Standards.	Subcommittee Action: Motion, Darrel Nicholas; Second, Paul Morris. Approved as proposed - Unanimous. General Committee Ballot: Approved-43 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	P04	P6	E14	Darrel Nicholas	Replace existing decay grading system with a system more consistent between all "E" Standards.	Subcommittee Action: Motion, Darrel Nicholas; Second, Paul Morris. Approved as proposed - Unanimous. General Committee Ballot: Approved-43 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	P05	P6	E16	Darrel Nicholas	Replace existing decay grading system with a system more consistent between all "E" Standards.	Subcommittee Action: Motion, Darrel Nicholas; Second, Paul Morris. Approved as proposed - Unanimous. General Committee Ballot: Approved-43 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	P06	P6	E22	Darrel Nicholas	Add specifications for the compression test apparatus and correct autoclave procedure and temperature.	Subcommittee Action: Motion, Darrel Nicholas; Second, Kevin Archer. Approved as MODIFIED - Unanimous. General Committee Ballot: Approved-44 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified
06F	P07	P6	E23	Darrel Nicholas	Add specifications for the bending test apparatus.	Subcommittee Action: Motion, Darrel Nicholas; Second, Steven Hill. Approved as MODIFIED - Unanimous. General Committee Ballot: Approved-44 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified

AWPA Fall 2006 Standardization Proposals

Cycle	Serial	Comm	Std.	Proponent	Description	Action
06F	P08	P4	P5	Craig McIntyre	Remove CCA types A and B from Standard P5 without prejudice due to lack of use; Reaffirm CCA type C in Standard P5 as written.	Subcommittee Action: Motion, Craig McIntyre; Second, Dick Jackson. Approved as proposed - Unanimous. General Committee Ballot: Approved-42 Yes, 0 No, 5 Abstain. Executive Committee Final Action: Ratified
06F	P09	P4	P5	Mark Mankowski	Reaffirmation of Inorganic Boron in Standard P5, Section 9 as written.	Subcommittee Action: Motion, Mark Manning; Second, Mike Freeman. Approved as proposed - Unanimous. General Committee Ballot: Approved-45 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified
06F	P10	P5	A2	Mark Manning	Add precision statement to Standard A2 Method 15 - Determination of Boron Trioxide in Sodium Borate wood preservatives and treating solutions.	Subcommittee Action: Motion, Mark Manning; Second, Mike Freeman. Approved as proposed - Unanimous. General Committee Ballot: Approved- 44 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified
06F	P11	P6	E17	Ron Miller	Revisions: Addition of disclaimers; add stainless steel to test alloys; additional specifications for finishing and drying coupons prior to testing; add alternative solvent for corrosion products; removal of nonmetallic materials; additional reporting requirements.	Subcommittee Action: Motion, Ron Miller; Second, Chris Barber. Approved as proposed - Unanimous. General Committee Ballot: Approved- 43 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	P12	P6	E12	Steven Hill	Withdrawal of Standard E12 without prejudice.	Subcommittee Action: Motion, Steven Hill; Second, Chris Barber. PROPOSAL FAILED - 1 Yes, remainder No, 0 Abstain.
06F	P13	P4	NA	Steve Shields	Recommend to Treatments Committees a CA-B retention of 0.41 PCF for foundation, land, and freshwater piles (UC4C)	Subcommittee Action: Motion, Dick Jackson; Second, Susan Thomason. Approved as proposed - Unanimous. General Committee Ballot: Approved- 42 Yes, 0 No, 5 Abstain. Executive Committee Final Action: Ratified
06F	P14	P3	P8	Chuck Cheeks	Reaffirm Chlorpyrifos in Standard P8, Section 11 without modification.	PROPOSAL WITHDRAWN BY PROPONENT DURING SUBCOMMITTEE MEETING
06F	P15	P8	P18	Chuck Cheeks	Reaffirm IPBC-SB-1 in Standard P18 as written	Subcommittee Action: Motion, Mike Freeman; Second, Ben Wallace. Approved as proposed - Unanimous. General Committee Ballot: Approved- 45 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified

AWPA Fall 2006 Standardization Proposals

Cycle	Serial	Comm	Std.	Proponent	Description	Action
06F	P16	P4	P5	Andy Zahora	Reaffirm ACQ types B, C, and D as written in Standard P5	<p>Subcommittee Action: Motion, Andy Zahora; Second, Mike Barnes. Approved as proposed - Unanimous.</p> <p>General Committee Ballot: Approved- 42 Yes, 0 No, 3 Abstain.</p> <p>Executive Committee Final Action: Ratified</p>
06F	P17	P3	XX	Mike Freeman	Proposed new Standard for Barrier Protection Systems	<p>Subcommittee Action: Motion, Mike Freeman; Second, Dick Jackson. Approved as MODIFIED - 8 Yes, 3 No, 0 Abstain.</p> <p>General Committee Ballot: Approved- 38 Yes, 2 No, 7 Abstain.</p> <p>Subcommittee Re-Ballot: Negative votes/comments found NOT PERSUASIVE (12 Not Persuasive, 11 Persuasive)</p> <p>Executive Committee Final Action: Ratified</p>
06F	P18	P3	NA	Mike Freeman	Recommend to Treatments Committees a performance-based Commodity Specification J for Barrier Protection Systems	<p>Subcommittee Action: Motion, Mike Freeman; Second, John Ashmore. Approved as MODIFIED - 14 Yes, 0 No, 6 Abstain.</p> <p>General Committee Ballot: Approved- 39 Yes (1 w/comment), 1 No, 7 Abstain.</p> <p>Subcommittee Re-Ballot: Negative votes/comments found NOT PERSUASIVE (12 Not Persuasive, 11 Persuasive)</p> <p>Executive Committee Final Action: Ratified</p>
06F	P19	P4	XX	Mike Freeman	Proposed new Standard for Barrier Protection Systems	<p>Subcommittee Action: Motion, Craig McIntyre; Second, Dick Jackson. Approved as MODIFIED - 18 Yes, 1 No, 1 Abstain.</p> <p>General Committee Ballot: Approved- 37 Yes, 2 No, 8 Abstain.</p> <p>Subcommittee Re-Ballot: Negative votes/comments found NOT PERSUASIVE (13 Not Persuasive, 7 Persuasive)</p> <p>Executive Committee Final Action: Ratified</p>
06F	P20	P4	NA	Mike Freeman	Recommend to Treatments Committees a performance-based Commodity Specification J for Barrier Protection Systems	<p>Subcommittee Action: Motion, Craig McIntyre; Second, Brad Combs. Approved as MODIFIED - Unanimous.</p> <p>General Committee Ballot: Approved- 39 Yes (1/with comment), 1 No, 7 Abstain.</p> <p>Subcommittee Re-Ballot: Negative votes/comments found NOT PERSUASIVE (15 Not Persuasive, 7 Persuasive)</p> <p>Executive Committee Final Action: Ratified</p>
06F	T01	T4	T1	Andy Zahora	Clarify pole processing limitations by adding "allowable conditioning methods" to Table 8.4.1 in Standard T1.	<p>Subcommittee Action: Motion, Mike Barnes; Second, David Bullock. Approved as proposed - Unanimous</p> <p>General Committee Ballot: Approved - 68 Yes, 0 No, 4 Abstain.</p> <p>Executive Committee Final Action: Ratified</p>

AWPA Fall 2006 Standardization Proposals

Cycle	Serial	Comm	Std.	Proponent	Description	Action
06F	T02	T2	U1	Jim Brient	Add footnotes to CuN listings in Commodity Specification A, Table 3.0 to indicate that existing retentions are suitable for exposure in areas subject to Formosan Subterranean Termite activity.	Subcommittee Action: Motion, Mike Freeman; Second, Dick Jackson. Approved as proposed - Unanimous General Committee Ballot: Approved - 70 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified
06F	T03	T4	T1	Charles Kerr	Add allowance for steam conditioning of SYP poles for treatment with CCA in Table 8.4.1 in Standard T1.	Subcommittee Action: Motion, Charles Kerr; Second, David Bullock. Approved as proposed - Unanimous General Committee Ballot: Approved - 67 Yes, 0 No, 5 Abstain. Executive Committee Final Action: Ratified
06F	T04	T1	U1	Richard Kleiner	Clarification of Use Categories for several commodities in end-use guide (Table 3-1 of Standard U1).	Subcommittee Action: Motion, Darrell Smith; Second, Stan Lebow - Unanimous General Committee Ballot: Approved - 69 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified
06F	T05	T7	M1	David Bullock	Reaffirm Standard M1 as written	Subcommittee Action: Motion, David Bullock; Second, Charles Kerr. Approved as proposed - All in favor except one "No", 0 Abstain. General Committee Ballot: Approved - 67 Yes, 1 No, 4 Abstain. Subcommittee Re-Ballot: Negative votes/comments found NOT PERSUASIVE (23 Not Persuasive, 6 Persuasive) Executive Committee Final Action: Ratified
06F	T06	T7	M2	David Bullock	Reaffirm Standard M2 as written	Subcommittee Action: Motion, David Bullock; Second, Donn Keefe. Approved as proposed - Unanimous General Committee Ballot: Approved - 68 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	T07	T8	U1	Mark Manning	Add an SBX retention of 4.5 kg/m ³ (0.28 PCF) B2O ₃ in Use Categories 1 and 2 for plywood in areas subject to Formosan Subterranean Termite activity.	Subcommittee Action: Motion, Mark Manning; Second, Darrell Smith. Approved as proposed - Unanimous General Committee Ballot: Approved - 68 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	T08	T7	M6	Craig McIntyre	Revise the title of Standard M6 to "Brands Used on Preservative-Treated Materials".	Subcommittee Action: Motion, Craig McIntyre; Second, Dean Matthews. Approved as proposed -Unanimous General Committee Ballot: Approved - 69 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified

AWPA Fall 2006 Standardization Proposals

Cycle	Serial	Comm	Std.	Proponent	Description	Action
06F	T09	T7	M6	Craig McIntyre	Insert footnote specifying that class and length is for poles, and the length only is for piles.	Subcommittee Action: Motion, Craig McIntyre; Second, Ken Laughlin. Approved as proposed - Unanimous General Committee Ballot: Approved - 70 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified
06F	T10	T7	M6	Craig McIntyre	Adds the following species: Hem-fir, Chilean Radiata pine, Montaine pine, Spruce-pine-fir, Scots pine (Germany and Sweden); modifies red (Norway) pine.	Subcommittee Action: Motion, Craig McIntyre; Second, Glynn Pittman. Approved as MODIFIED - Unanimous General Committee Ballot: Approved - 67 Yes, 0 No, 5 Abstain. Executive Committee Final Action: Ratified
06F	T11	T7	M6	Craig McIntyre	Adds Copper HDO, deletes preservatives no longer in use.	Subcommittee Action: Motion, Craig McIntyre; Second, David Bullock. Approved as MODIFIED - Unanimous General Committee Ballot: Approved - 69 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified
06F	T12	T7	M6	Craig McIntyre	Clarifies preservative letter use for dual treatments.	Subcommittee Action: Motion, Craig McIntyre; Second, Steve Shields. Approved as proposed - Unanimous General Committee Ballot: Approved - 70 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified
06F	T13	T7	M6	Craig McIntyre	Updates the date used in the example of footnote 2.	Subcommittee Action: Motion, Craig McIntyre; Second, Lee Gjovik. Approved as proposed - Unanimous. General Committee Ballot: Approved - 69 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified
06F	T14	T4	U1	Jim Brient and Mike Freeman	Add waterborne copper naphthenate retention in Commodity Specification B, UC4A and UC4B of 1.76 kg/m ³ (0.11 PCF) for the treatment of posts	Subcommittee Action: Motion, Mike Freeman; Second, Kerry Edmiaston. Approved as proposed - Unanimous General Committee Ballot: Approved - 67 Yes, 0 No, 5 Abstain. Executive Committee Final Action: Ratified
06F	T15	T4	U1	Jim Brient and Mike Freeman	Add waterborne copper naphthenate to the list of allowable preservatives for playground equipment in Southern pine and "other species" in Standard U1, Commodity Specification A, Table 4.3.1	Subcommittee Action: Motion, Mike Freeman; Second, Mike Barnes. Approved as proposed - Unanimous General Committee Ballot: Approved - 68 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	T16	T2	U1	Jim Brient and Mike Freeman	Add waterborne copper naphthenate retention of 1.12 kg/m ³ (0.070 PCF) for the treatment of sawn products Commodity Specification A in UC1.	Subcommittee Action: Motion, Mike Freeman; Second, Mike Barnes. Approved as proposed - Unanimous General Committee Ballot: Approved - 70 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified

AWPA Fall 2006 Standardization Proposals

Cycle	Serial	Comm	Std.	Proponent	Description	Action
06F	T17	T2	U1	Jim Brient and Mike Freeman	Add waterborne copper naphthenate retention of 1.12 kg/m ³ (0.070 PCF) for the treatment of sawn products Commodity Specification A in UC2.	Subcommittee Action: Motion, Mike Freeman; Second, Donn Keefe. Approved as proposed - Unanimous General Committee Ballot: Approved - 70 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified
06F	T18	T2	U1	Jim Brient and Mike Freeman	Add waterborne copper naphthenate retention of 1.12 kg/m ³ (0.070 PCF) for the treatment of sawn products Commodity Specification A in UC3A/3B.	Subcommittee Action: Motion, Mike Freeman; Second, Dick Jackson. Approved as proposed - Unanimous General Committee Ballot: Approved - 70 Yes, 0 No, 2 Abstain. Executive Committee Final Action: Ratified
06F	T19	T2	U1	Jim Brient and Mike Freeman	Add waterborne copper naphthenate retention of 1.76 kg/m ³ (0.11 PCF) for the treatment of sawn products Commodity Specification A in UC4A.	Subcommittee Action: Motion, Mike Freeman; Second, Dick Jackson. Approved as proposed - Unanimous General Committee Ballot: Approved - 69 Yes, 0 No, 3 Abstain. Executive Committee Final Action: Ratified
06F	T20	T7	M1	Craig McIntyre	Require marking, but delete "year(s) of treatment" from lumber marking requirement.	Subcommittee Action: Motion - Craig McIntyre; Second, Donn Keefe. MODIFIED PROPOSAL FAILED - 15 Yes, 18 No, 0 Abstain
06F	T21	T4	M13	Bob Butera	Complete revision of Standard M13, Guidelines for a Pole Maintenance Program.	Subcommittee Action: Motion, Rich Ziobro; Second, Mike Freeman. Approved as proposed - Unanimous General Committee Ballot: Approved - 66 Yes, 0 No, 6 Abstain. Executive Committee Final Action: Ratified
06F	T22	T1	T1	Steve Shields	Include minimum individual component retention values for Copper Azole type B at a retention of 6.6 kg/m ³ (0.41 PCF) in Standard T1, Tables 3.2A and B.	Subcommittee Action: Motion, Cliff Eddington; Second, Mike Johnson. Approved as proposed - Unanimous General Committee Ballot: Approved - 67 Yes, 0 No, 5 Abstain. Executive Committee Final Action: Ratified
06F	T23	T3	U1	Steve Shields	Add Copper Azole type B to Standard U1, Commodity Specification E for foundation, land, and freshwater piles at a retention of 6.6 kg/m ³ (0.41 PCF) in Table 3.0 for UC4C.	Subcommittee Action: Motion, Grady Brafford; Second, David Bullock. Approved as proposed - Unanimous General Committee Ballot: Approved - 67 Yes, 0 No, 5 Abstain. Executive Committee Final Action: Ratified
06F	T24	T1	T1	Jim Brient	Include minimum Cu retention for waterborne copper naphthenate in Standard T1, Table 3.2 A and B.	Subcommittee Action: Motion, Ken Laughlin; Second, Cliff Eddington. Approved as proposed - Unanimous General Committee Ballot: Approved - 68 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified

AWPA Fall 2006 Standardization Proposals

Cycle	Serial	Comm	Std.	Proponent	Description	Action
06F	T25	T1	T1	Jim Brient	Remove the "oil-type" from "Final Steaming" in Section 2.4 of Standard T1 so as to also permit steaming of wood treated with waterborne preservatives.	Subcommittee Action: Motion, Ken Laughlin; Second, Mark Manning. Approved as MODIFIED - Unanimous General Committee Ballot: Approved - 68 Yes, 0 No, 4 Abstain. Executive Committee Final Action: Ratified
06F	T26	T2	U1	Scott Conklin	Delete ACC from Standard U1, Commodity Specification A for sawn products in UC1 without prejudice for lack of use.	Subcommittee Action: Motion, Scott Conklin; Second, Bob Inwards. PROPOSAL FAILED - 5 Yes, 29 No, 2 Abstain
06F	T27	T2	U1	Scott Conklin	Delete ACC from Standard U1, Commodity Specification A for sawn products in UC2 without prejudice for lack of use.	PROPOSAL WITHDRAWN BY PROPONENT DURING SUBCOMMITTEE MEETING
06F	T28	T2	U1	Scott Conklin	Delete ACC from Standard U1, Commodity Specification A for sawn products in UC3A/B without prejudice for lack of use.	PROPOSAL WITHDRAWN BY PROPONENT DURING SUBCOMMITTEE MEETING
06F	T29	T2	U1	Donn Keefe	Delete CCA from Standard U1, Commodity Specification A for sawn products, UC1, 2, and 3A (not 3B) without prejudice for lack of use.	Subcommittee Action: Motion, Donn Keefe; Second, Mike Freeman. Approved as proposed - All in favor except one "No", 0 Abstain. General Committee Ballot: Approved - 66 Yes, 1 No, 5 Abstain. Negative Resolution: Negative voter changed vote to "Abstain", withdrew comment. Executive Committee Final Action: Ratified