

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	P01	P5	A28	David Helmer	Revise A28 to remove analysis of azoles in wood, add precision statement	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P02	P5	A15	David Helmer	Change referee method for Tebuconazole and Propiconazole in wood from A28 to A31, and add A31 as a referee method for solutions.	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved – 47 Yes, 0 No, 4 Abstain Executive Committee Final Action: Ratified
07F	P03	P6	E10	Paul Morris & Jean Clark	Correct E10 section 3.10 to make holes in lids 6.4 mm	Withdrawn prior to subcommittee meetings by proponent - similar language within proposal P45
07F	P04	P6	Exx	Paul Morris	Proposed new decking test (modification of PEM-04)	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain
07F	P05	P6	E20	Ron Miller	Numerous modifications to E20	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P06	P6	E12	Darrel Nicholas	Numerous modifications to E12	Subcommittee action: Approved as modified with one "no" vote. General Committee Ballot: Approved – 47 Yes, 0 No, 4 Abstain Executive Committee Final Action: Ratified
07F	P07	P6	E5	Lee Gjovik	Numerous modifications to E5	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P08	P3	F1	Russ Pfeiffer	Reaffirm F1 without change	Subcommittee action: Unanimously approved General Committee Ballot; Approved - 48 yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P09	P3	P8	Eeva-Liisa Kuusisto	Reaffirmation of P8 Section 7 (IPBC) without change	Subcommittee action: Unanimously approved General Committee Ballot: Approved - 47 yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified
07F	P10	P3	P8	Mike Freeman	Remove upper acid number limit for copper naphthenate in P8	Subcommittee action: Unanimously approved General Committee Ballot: Approved - 47 Yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	P11	P4	N/A	Mike Freeman	Recommend to T-2 to adopt CuN-W retentions as suitable for Formosan termites	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P12	P3	P8	Mike Freeman	New preservative standard for permethrin in P8	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved - 48 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P13	P3	P8	Xiao Jiang	Modification of P8 Section 8 (AAC) to include DDABC	Subcommittee action: Unanimously approved with one abstention General Committee Ballot: Approved - 47 Yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified
07F	P14	P3	P8	Xiao Jiang	Reaffirmation of P8 Section 8 (AAC) without change	Withdrawn by proponent at meeting
07F	P15	P4	P5	Xiao Jiang	Modification of P5 Section 8 (AAC) to include DDABC	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P16	P4	P5	Xiao Jiang	Reaffirmation of P5 Section 8 (AAC) without change	Withdrawn by proponent at meeting
07F	P17	P6	E13	Roger Fox	Numerous modifications to E13	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 48 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P18	P3	P8	Chuck Cheeks	Modification of the % inerts/actives for Chlorpyrifos in P8	Subcommittee action: Unanimously approved General Committee Ballot: Approved - 48 Yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified
07F	P19	P6	E1	Mike Sanders	Add reference in E1 to photographs in ASTM D3345-74	Withdrawn by proponent at meeting
07F	P20	P5	A16	Xiao Jiang	Reaffirmation of A16 without changes	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P21	P4	P5	Manfred Jung	Re-format and separate all P5 preservatives into separate P Standards	Subcommittee action: Unanimously approved as modified. General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	P22	P5	A2	Joe Guzzetta	Delete A2 Method 7 without prejudice for lack of use	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 48 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P23	P5	A3	Joe Guzzetta	Delete A3 Method 7 without prejudice for lack of use	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P24	P5	A36	Joe Guzzetta	Add precision statement to A36	Subcommittee action: Approved with 10 yes, 4 no, and 3 abstentions. General Committee Ballot: Approved – 36 Yes, 3 No, 11 Abstain Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability. Executive Committee Final Action: Ratified
07F	P25	P5	A37	Joe Guzzetta	Add precision statement to A37	Subcommittee action: Approved with 9 yes, 2 no, and 6 abstentions. General Committee Ballot: Approved – 34 Yes, 2 No, 14 Abstain Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability. Executive Committee Final Action: Ratified
07F	P26	P4	P20	Scott Conklin	Numerous modifications to P20	Withdrawn by proponent at meeting
07F	P27	P3	P20	Scott Conklin	Numerous modifications to P20	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved – 48 Yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified
07F	P28	P6	E19	Stan Lebow	Numerous modifications to E19	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 48 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P29	P4	P5	Roger Fox	Reaffirm P5 Section 18 (CA-B) without change	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	P30	P4	P5	Roger Fox	Reaffirm P5 Section 17 (CBA-A) without change	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P31	P5	A33	Chin Li	Numerous modifications to A33	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P32	P5	A34	Chin Li	Numerous modifications to A34	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved – 49 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P33	P5	A21	Paul Walcheski	Reaffirm A21 without change	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P34	P5	A19	Susan Thomason	Reaffirm A19 without change	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain Executive Committee Final Action: Ratified
07F	P35	P5	A12	Paul Merrick	Adjust density values for DF PSL	Withdrawn by proponent at meeting
07F	P36	P5	Axx	Mike Freeman	New analysis method for permethrin	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	P37	P4	P20	Mike Freeman	Numerous modifications to P20	Subcommittee action: Unanimously approved with one abstention General Committee Ballot: Approved – 47 Yes, 0 No, 4 Abstain Executive Committee Final Action: Ratified
07F	P38	P4	P20	Mike Freeman	Numerous modifications to P20	Subcommittee action: Unanimously approved as modified with one abstention. General Committee Ballot: Approved – 48 Yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified
07F	P39	P5	Axx	Susan Thomason	New analysis method for imidicloprid	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	P40	P5	A26	Susan Thomason	Numerous modifications to A26	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 50 Yes, 0 No, 1 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	P41	P4	P5	Roger Fox	New preservative standard for PTI, recommendation to T's to add to U1 section 4	<p>Subcommittee action: Unanimously approved with two abstentions.</p> <p>General Committee Ballot: Approved – 45 Yes, 0 No, 6 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	P42	P4	N/A	Roger Fox	Recommend to T's to use PTI on pines in UC1, UC2, UC3A, including FST areas @ 0.013 PCF	<p>Subcommittee action: Unanimously approved with four abstentions.</p> <p>General Committee Ballot: Approved – 40 Yes, 0 No, 11 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	P43	P4	N/A	Roger Fox	Recommend to T's to use PTI on pines in UC3B, including FST areas @ 0.013 with stabilizer or 0.018 without stabilizer.	<p>Subcommittee action: Unanimously approved with eight abstentions, then reconsidered and modified. Unanimously approved with one abstention.</p> <p>General Committee Ballot: Approved – 40 Yes, 1 No, 10 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	P44	P4	N/A	Roger Fox	Recommend to T's to use PTI on non-pines in UC3B, including FST areas @ 0.018 PCF without stabilizer	<p>Subcommittee Action: Unanimously approved as modified with eight abstentions.</p> <p>General Committee Ballot: Approved – 38 Yes, 0 No, 13 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	P45	P6	E10	Peter Laks	Numerous modifications to E10	<p>Subcommittee action: Unanimously approved as modified.</p> <p>General Committee Ballot: Approved – 47 Yes, 0 No, 2 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	P46	P3	P8	Manfred Jung	Re-format and separate all P8 preservatives into separate P standards - shall be watermarked as "Draft".	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 49 Yes, 0 No, 2 Abstain</p> <p>Executive Committee Final Action: Ratified</p>

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	T01	T1	U1	Richard Kleiner	Revisions to U1 Table 3-1	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved – 65 Yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified
07F	T02	T2	U1	Paul Morris	Delete penetration requirements for in U1-A section 4.7.1 (see next proposal)	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 65 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	T03	T2	T1	Paul Morris	Add penetration requirements for decking to Standard T1, new section 8.1.11	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 65 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified
07F	T04	T10	Mxx	Bruce Bohnen	New QC method for millwork	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 64 Yes, 0 No, 4 Abstain Executive Committee Final Action: Ratified
07F	T05	T2	U1	Donn Keefe	Add ACQ-D to DF in U1-A	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 64 Yes, 0 No, 3 Abstain Executive Committee Final Action: Ratified
07F	T06	T1	T1	Donn Keefe	Add ACQ-D to Table 3.2A at retention of 0.60 PCF	Subcommittee action: Unanimously approved as modified General Committee Ballot: Approved – 64 Yes, 0 No, 4 Abstain Executive Committee Final Action: Ratified
07F	T07	T7	M1	Andy Zahora	Modification to marking guidelines in M1	Subcommittee action: Approved as modified with 18 yes votes, 8 no votes, and 1 abstention. General Committee Ballot: Approved – 51 Yes, 4 No, 13 Abstain Subcommittee Re-Ballot: Negative vote(s) found persuasive, item fails and is referred to originating Subcommittee. Proponent advised of rights to request <u>reconsideration and appeals process availability.</u>
07F	T08	T2	U1	Mike Freeman	Add FST footnote to CuN-W in U1-A	Subcommittee action: Unanimously approved General Committee Ballot: Approved – 65 Yes, 0 No, 2 Abstain Executive Committee Final Action: Ratified

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	T09	T1	T1	Andy Zahora	Modification to marking requirements in T1	<p>Subcommittee action: Approved with 9 yes votes and 3 no votes.</p> <p>General Committee Ballot: Approved – 53 Yes, 2 No, 33 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T10	T2	T1	Andy Zahora	Modification to marking requirements for PWF in T1	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 64 Yes, 0 No, 3 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T11	T2	U1	Andy Zahora	Modification to marking requirements for PWF in U1	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 64 Yes, 0 No, 3 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T12	T2	U1	Roger Fox	Add several waterborne preservatives for SP and WRC shakes/shingles	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 63 Yes, 0 No, 4 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T13	T8	U1	Aaron Kjeld	Add retention levels for glulam in U1-F	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 63 Yes, 0 No, 5 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T14	T8	T1	Paul Merrick	Delete unnecessary language in footnote to Table 8.10 in T1	<p>Subcommittee Action: Unanimously approved with 1 abstention</p> <p>General Committee Ballot: Approved – 64 Yes, 0 No, 4 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T15	T4	T1	Stan Lebow	Add penetration requirements for "doweled" posts	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 64 Yes, 0 No, 4 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T16	T2	U1	Mike Freeman	Add Commodity Specification J to U1 for sawn products	<p>Subcommittee action: Approved: all in favor except for one negative vote and one abstention.</p> <p>General Committee Ballot: Approved – 62 Yes, 1 No, 5 Abstain</p> <p>Executive Committee Final Action: Ratified</p>

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	T17	T2	U1	Mike Freeman	Add BP-1/preservative table to U1-J for sawn products	<p>Subcommittee action: Approved with 18 yes votes, 8 no votes, and 4 abstentions.</p> <p>General Committee Ballot: Approved – 50 Yes, 4 No, 14 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T18	T4	U1	Mike Freeman	Add Commodity Specification J to U1 for poles/posts	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 62 Yes, 0 No, 6 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T19	T4	U1	Mike Freeman	Add BP-1/preservative table to U1-J for poles/posts	<p>Subcommittee action: Approved with 24 yes votes and 4 abstentions.</p> <p>General Committee Ballot: Approved – 54 Yes, 3 No, 10 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T20	T2	U1	Craig McIntyre	Add ACQ-C and -D for five species groups in U1-A for UC4B	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 65 Yes, 0 No, 3 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T21	T2	U1	Craig McIntyre	Add ACQ-D for six species groups in U1-A for UC4C	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 64 Yes, 0 No, 4 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T22	T2	U1	Craig McIntyre	Add ACQ-D to Spruce in U1-A for UC4A	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 64 Yes, 0 No, 4 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T23	T1	U1	Roger Fox	Add new preservative PTI to U1 Section 4	<p>Subcommittee action: Unanimously approved</p> <p>General Committee Ballot: Approved – 61 Yes, 0 No, 7 Abstain</p> <p>Executive Committee Final Action: Ratified</p>
07F	T24	T1	T1	Roger Fox	Add component retentions for PTI to T1 Tables 3.2	<p>Subcommittee action: Approved with 13 yes votes and 1 no vote.</p> <p>General Committee Ballot: Approved – 60 Yes, 0 No, 8 Abstain</p> <p>Executive Committee Final Action: Ratified</p>

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	T25	T2	U1	Roger Fox	Add PTI to Southern pine group in U1-A for UC1, UC2, and UC3A at 0.013 PCF	<p>Subcommittee action: Approved as modified with all in favor except for three no votes.</p> <p>General Committee Ballot: Approved – 56 Yes, 2 No, 10 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T26	T2	U1	Roger Fox	Add PTI to Ponderosa group in U1-A for UC1, UC2, and UC3A at 0.013 PCF	<p>Subcommittee action: Approved with all in favor except for three no votes.</p> <p>General Committee Ballot: Approved – 54 Yes, 2 No, 12 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T27	T2	U1	Roger Fox	Add PTI to DF in U1-A for UC1, UC2, and UC3A at 0.013 PCF	<p>Subcommittee Action: Approved with all in favor except for four no votes.</p> <p>General Committee Ballot: Approved – 53 Yes, 3 No, 12 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T28	T2	U1	Roger Fox	Add PTI to Hem-fir group in U1-A for UC1, UC2, and UC3A at 0.013 PCF	<p>Subcommittee Action: Approved with all in favor except for two no votes.</p> <p>General Committee Ballot: Approved – 56 Yes, 2 No, 10 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T29	T2	U1	Roger Fox	Add PTI to Southern pine group in U1-A for UC3B at 0.013 PCF w/stabilizer, or 0.018 without	<p>Subcommittee Action: Approved as modified with all in favor except for two no votes.</p> <p>General Committee Ballot: Approved – 55 Yes, 2 No, 10 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>

AWPA Fall 2007 Standardization Proposals (final)

Cycle	Serial	Comm	Std.	Proponent	Description	Action
07F	T30	T2	U1	Roger Fox	Add PTI to Ponderosa group in U1-A for UC3B at 0.013 PCF w/stabilizer, or 0.018 without	<p>Subcommittee Action: Approved as modified with all in favor except one no vote.</p> <p>General Committee Ballot: Approved – 56 Yes, 2 No, 9 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T31	T2	U1	Roger Fox	Add PTI to DF and Hem-fir group in U1-A for UC3B at 0.018 PCF	<p>Subcommittee Action: Approved with all yes votes except for 6 not votes.</p> <p>General Committee Ballot: Approved – 51 Yes, 3 No, 14 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T32	T2	U1	Roger Fox	Add PTI in U1-A Section 4.6.1 for SP and WRC shakes and shingles	<p>Subcommittee action: Failed with 12 yes votes, 12 no votes, and 5 abstentions. Proponent advised of rights to request reconsideration and appeals process availability.</p>
07F	T33	T8	U1	Roger Fox	Add PTI to U1-F section 3 for plywood in UC1, UC2, and UC3A at 0.013 PCF - and - UC3B at 0.013 w/stabilizer or 0.018 without	<p>Subcommittee action: Approved as modified with 12 yes votes and 2 no votes.</p> <p>General Committee Ballot: Approved – 52 Yes, 3 No, 12 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>
07F	T34	T8	U1	Roger Fox	Add PTI to U1-F section 3 for glulam in UC1, UC2, and UC3A at 0.013 PCF - and - UC3B at 0.013 w/stabilizer or 0.018 without	<p>Subcommittee action: Approved as modified with 11 yes and 1 no vote</p> <p>General Committee Ballot: Approved – 54 Yes, 3 No, 10 Abstain</p> <p>Subcommittee Re-Ballot: Negative Vote(s) found not persuasive. Negative commenters advised of rights to request reconsideration and appeals process availability.</p> <p>Executive Committee Final Action: Ratified</p>