

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>P01</b>	P6	E8	<b>Pres.</b> <b>25</b>	Paul Morris	Proposal to add rating schemes and numerous other revisions to E8	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P02</b>	P4	P21	<b>Pres.</b> <b>5</b>	Bob Baepler	Proposal to remove "draft" and update analytical method references in P21	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 51 yes, 0 no, 0 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P03</b>	P5	A32	<b>Pres.</b> <b>23</b>	Ed Nichenko	Proposal to reaffirm A32 and update list of applicable preservatives	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P04</b>	P4	P31	<b>Pres.</b> <b>6</b>	Ed Nichenko	Proposal to remove "draft", update analytical method references, and other minor corrections to P31	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P05</b>	P4	P32	<b>Pres.</b> <b>7</b>	Ed Nichenko	Proposal to remove "draft", update analytical method references, and other minor corrections to P32	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P06</b>	P4	P48	<b>Pres.</b> <b>8</b>	Ed Nichenko	Proposal to remove "draft", update analytical method references, and other minor corrections to P48	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>P07</b>	P4	P45	<b>Pres. 9</b>	Ed Nichenko	Proposal to remove "draft", update analytical method references, and other minor corrections to P45	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P08</b>	P6	Exx	<b>Pres. 26</b>	Andy Zahora	Proposal for new termite ground proximity evaluation standard for UC1/UC2	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P09</b>	P5	Axx	<b>Pres. 24</b>	Tor Schultz	Proposal for new heartwood determination analytical standard based on M2	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P10</b>	P6	Exx	<b>Pres. 27</b>	Darrel Nicholas	Proposal for new above ground 3 component lap joint evaluation standard based on PEM03	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 48 yes, 0 no, 3 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P11</b>	P4	P33	<b>Pres. 10</b>	Radu Craciun	Proposal to remove "draft", update analytical method references, and other minor corrections to P33	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P12</b>	P3	P9		Dennis Morgan	Proposal to convert footnotes to body text and add new test requirements to P9 type A solvents	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>P13</b>	P3	P9	<b>Pres. 1</b>	Dennis Morgan	Proposal to clarify P9 type C by using consistent terms throughout P9	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	P14	P3	P9	Pres. 2	Dennis Morgan	Proposal to clarify P9 type F by using consistent terms throughout P9	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	P15	P4	P25	Pres. 11	Mark Manning	Proposal to remove "draft" and update analytical method references in P25	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	P16	P8	P51	Pres. 32	Mark Manning	Proposal to remove "draft" and update analytical method references in P51	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	P17	P3	P9	Pres. 3	Martin Rollins	Proposal to add new type of high-boiling hydrocarbon solvent to P9	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	P18	P7	P50	Pres. 28	Kevin Archer	Proposal to remove "draft" and remove patent language from P50	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	P19	P4	P23	Pres. 12	Craig McIntyre	Proposal to remove "draft", update analytical method references, and other minor corrections to P23	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>P20</b>	P7	P49	<b>Pres. 29</b>	Randy Baileys	Proposal to remove "draft" and update analytical method references in P49	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P21</b>	P7	P50	<b>Pres. 30</b>	Randy Baileys	Proposal to update historical information in P50	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P22</b>	P4	P22	<b>Pres. 13</b>	Randy Baileys	Proposal to remove "draft", update analytical method references, and other minor corrections to P22	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P23</b>	P3	P9		Dick Jackson	Proposal to limit the amount of auxiliary solvent to a maximum of 20%	<b>Subcommittee Action:</b> FAILED as MODIFIED
09F	<b>P24</b>	P3	P9		Dick Jackson	Proposal to add new type of hydrocarbon solvent to P9 allowing up to 35% biodiesel as a cosolvent	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>P25</b>	P4	Pxx	<b>Pres. 14</b>	Futong Cui	Proposal for new waterborne preservative KDS	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 46 yes, 1 no, 4 abstentions <b>Subcommittee Re-ballot:</b> 17 not persuasive, 6 persuasive, 3 abstentions - ballot item moves forward <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P26</b>	P4	NA	<b>Pres. 15</b>	Futong Cui	Proposal to recommend KDS retention of 3.0 kg/m3 (0.19 pcf) for UC1/2/3A/3B to treatments committees	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 45 yes, 1 no, 4 abstentions <b>Subcommittee Re-ballot:</b> 17 not persuasive, 6 persuasive, 3 abstentions - ballot item moves forward <b>Executive Committee Final Action:</b> Ratified on January 26, 2010

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>P27</b>	P4	NA	<b>Pres. 16</b>	Futong Cui	Proposal to recommend KDS retention of 6.8 kg/m <sup>3</sup> (0.43 pcf) for UC4A to treatments committees	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 44 yes, 2 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 15 not persuasive, 7 persuasive, 4 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P28</b>	P4	NA	<b>Pres. 17</b>	Futong Cui	Proposal to recommend KDS retention of 12.0 kg/m <sup>3</sup> (0.75 pcf) for UC4B/4C to treatments committees	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 44 yes, 2 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 15 not persuasive, 8 persuasive, 3 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P29</b>	P4	Pxx	<b>Pres. 18</b>	Futong Cui	Proposal for new waterborne preservative KDS-B	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 44 yes, 3 no, 4 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 18 not persuasive, 5 persuasive, 3 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P30</b>	P4	NA	<b>Pres. 19</b>	Futong Cui	Proposal to recommend KDS-B retention of 2.2 kg/m <sup>3</sup> (0.14 pcf) for UC1/2/3A/3B to treatments committees	<p><b>Subcommittee Action:</b> Approved unanimously as submitted</p> <p><b>General Committee Ballot:</b> Approved with 44 yes, 2 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 17 not persuasive, 6 persuasive, 3 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P31</b>	P4	NA	<b>Pres. 20</b>	Futong Cui	Proposal to recommend KDS-B retention of 4.7 kg/m <sup>3</sup> (0.29 pcf) for UC4A to treatments committees	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 42 yes, 4 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 16 not persuasive, 7 persuasive, 3 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>P32</b>	P4	NA	<b>Pres. 21</b>	Futong Cui	Proposal to recommend KDS-B retention of 8.4 kg/m <sup>3</sup> (0.53 pcf) for UC4B/4C to treatments committees	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 42 yes, 4 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 15 not persuasive, 8 persuasive, 3 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P33</b>	P8	Pxx	<b>Pres. 33</b>	Futong Cui	Proposal for new nonpressure preservative KDS	<p><b>Subcommittee Action:</b> Approved as MODIFIED with 4 yes and 1 no vote, 5 abstentions</p> <p><b>General Committee Ballot:</b> Approved with 36 yes, 5 no, 10 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 5 not persuasive, 4 persuasive, 4 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P34</b>	P8	Pxx		Futong Cui	Proposal for new nonpressure preservative KDS-B	<p><b>Subcommittee Action:</b> FAILED as MODIFIED with 3 yes and 2 no votes, 5 abstentions.</p>
09F	<b>P35</b>	P8	P18	<b>Pres. 34</b>	Chuck Cheeks	Proposal to reaffirm IPBC/PPZ/TEB/SB-1 without changes	<p><b>Subcommittee Action:</b> Approved unanimously as submitted</p> <p><b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P36</b>	P8	NA	<b>Pres. 35</b>	Chuck Cheeks	Proposal to recommend IPBC/PPZ/TEB/SB-1 retention of 1200 ppm to treatments committees	<p><b>Subcommittee Action:</b> Approved as submitted with 6 yes and 1 no vote, 3 abstentions.</p> <p><b>General Committee Ballot:</b> Approved with 39 yes, 3 no, 8 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 6 not persuasive, 4 persuasive, 3 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>P37</b>	P7	P17	<b>Pres. 31</b>	Randy Baileys	Proposal to delete P17 in favor of reformatted fire retardant standards P49 and P50	<p><b>Subcommittee Action:</b> Approved unanimously as submitted</p> <p><b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>P38</b>	P3	Pxx	<b>Pres. 4</b>	Mike Freeman	Proposal to format IPBC/PER from P8 into new format as standalone standard	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 51 yes, 0 no, 0 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>P39</b>	P4	P34	<b>Pres. 22</b>	Mike Freeman	Proposal to remove "draft" and make minor corrections to P34	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 50 yes, 0 no and 1 abstention <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T01</b>	T1	T1	<b>Trt. 1</b>	Roger Fox	Proposal to correct CA-C minimum component kg/m <sup>3</sup> retentions in T1	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 63 yes, 0 no, 2 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T02</b>	T1	U1	<b>Trt. 2</b>	Bob Baepler	Proposal to delete Penta and Creosote for nonpressure uses, add Zinc Borate, Create new table for thermal treatment, and other minor changes to U1 Table 2	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 63 yes, 0 no, 2 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T03</b>	T4	U1	<b>Trt. 27</b>	Bob Baepler	Proposal to remove PCP-C from thermal treating processes in U1-D without prejudice for lack of use	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 61 yes, 0 no, 4 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T04</b>	T1	T1	<b>Trt. 3</b>	Roger Babb	Proposal to require third party monitoring for materials subject to building codes in T1 section 5	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 63 yes, 0 no, 2 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T05</b>	T4	U1	<b>Trt. 28</b>	Jim Carter	Proposal to add CCA treatment footnote for Doug-fir and Larch poles in U1-D	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 61 yes, 0 no, 4 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T06</b>	T1	U1	<b>Trt. 4</b>	Martin Rollins	Proposal to add new type of P9 solvent for treatment of penta to U1 section 4	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 61 yes, 0 no, 4 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T07</b>	T3	U1	<b>Trt. 22</b>	Martin Rollins	Proposal to add penta in new P9 solvent to U1-C for treatment of ties	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 60 yes, 0 no, 5 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T08</b>	T4	U1 T1	<b>Trt. 29</b>	Robert Reisdorff	Proposal to eliminate SYP heartwood restriction and update retentions to C28 levels in U1-D	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 56 yes, 0 no, 9 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T09</b>	T3	U1	<b>Trt. 23</b>	Roger Fox	Proposal to add ACZA for Douglas-fir ties at a retention of 6.4 kg/m <sup>3</sup> (0.40 pcf)	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 59 yes, 0 no, 6 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T10</b>	T3	T1	<b>Trt. 24</b>	Roger Fox	Proposal to define assay zone for ties requiring retention by assay	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 59 yes, 0 no, 6 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010



## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T11</b>	T3	T1	<b>Trt. 25</b>	Roger Fox	Proposal to add maximum pressure for waterborne treatment of Douglas-fir ties	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 59 yes, 0 no, 6 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T12</b>	T3	T1	<b>Trt. 26</b>	Roger Fox	Proposal to limit steaming time for Douglas-fir ties	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 59 yes, 0 no, 6 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T13</b>	T1	U1	<b>Trt. 5</b>	Randy Baileys	Proposal to change U1 Section 4 ACZA reference to P22	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 62 yes, 0 no, 3 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T14</b>	T1	U1	<b>Trt. 6</b>	Randy Baileys	Proposal to change U1 Section 4 FR-1 reference to P49	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 63 yes, 0 no, 2 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T15</b>	T1	U1	<b>Trt. 7</b>	Randy Baileys	Proposal to change U1 Section 4 FR-2 reference to P50	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 63 yes, 0 no, 2 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T16</b>	T3	U1		Kevin Archer	Proposal to add ACQ-D for round timber piles at a retention of 12.8 kg/m <sup>3</sup> (0.80 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T17</b>	T2	U1	<b>Trt. 15</b>	Futong Cui	Proposal to add KDS for pines/firs for UC1/2/3A/3B at 3.0 kg/m <sup>3</sup> (0.19 pcf)	<b>Subcommittee Action:</b> Approved as submitted, with all in favor except 1 no vote <b>General Committee Ballot:</b> Approved with 57 yes, 1 no, 7 abstentions <b>Subcommittee Re-ballot:</b> 21 not persuasive, 8 persuasive, 8 abstentions - ballot item moves forward <b>Executive Committee Final Action:</b> Ratified on January 26, 2010

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T18</b>	T2	U1	<b>Trt. 16</b>	Futong Cui	Proposal to add KDS for red/scots pines for UC1/2/3A/3B at 3.0 kg/m3 (0.19 pcf)	<p><b>Subcommittee Action:</b> Approved as submitted, with all in favor except two no votes</p> <p><b>General Committee Ballot:</b> Approved with 52 yes, 2 no, 11 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 16 not persuasive, 14 persuasive, 7 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T19</b>	T2	U1	<b>Trt. 17</b>	Futong Cui	Proposal to add KDS for pines/firs for UC4A at 7.5 kg/m3 (0.47 pcf)	<p><b>Subcommittee Action:</b> Approved as MODIFIED with all in favor except one no vote</p> <p><b>General Committee Ballot:</b> Approved with 52 yes, 3 no, 9 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 16 not persuasive, 15 persuasive, 6 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T20</b>	T2	U1	<b>Trt. 18</b>	Futong Cui	Proposal to add KDS for red/scots pines for UC4A at 7.5 kg/m3 (0.47 pcf)	<p><b>Subcommittee Action:</b> Approved as MODIFIED with 14 yes and 6 no votes, one abstention</p> <p><b>General Committee Ballot:</b> Approved with 41 yes, 5 no, 17 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 12 not persuasive, 19 persuasive, 6 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b> Confirmed failure of ballot item on January 26, 2010. Item does not move forward and is referred to subcommittee.</p>
09F	<b>T21</b>	T2	U1	<b>Trt. 19</b>	Futong Cui	Proposal to add KDS for cooling tower material at 7.5 kg/m3 (0.47 pcf)	<p><b>Subcommittee Action:</b> Approved as MODIFIED with 15 yes and 2 no votes, one abstention</p> <p><b>General Committee Ballot:</b> Approved with 48 yes, 2 no, 15 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 16 not persuasive, 12 persuasive, 9 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T22</b>	T2	U1		Futong Cui	Proposal to add KDS for pines/firs for UC4B/4C at 8.6 kg/m3 (0.54 pcf)	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>
09F	<b>T23</b>	T2	U1		Futong Cui	Proposal to add KDS for red/scots pines for UC4B/4C at 8.6 kg/m3 (0.54 pcf)	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>
09F	<b>T24</b>	T2	U1		Futong Cui	Proposal to add KDS for pines/firs/plywood PWF at 8.6 kg/m3 (0.54 pcf)	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T25</b>	T2	U1		Futong Cui	Proposal to add KDS for red/scots pines PWF at 8.6 kg/m3 (0.54 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T26</b>	T2	U1		Futong Cui	Proposal to add KDS for highway construction at 8.6 kg/m3 (0.54 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T27</b>	T2	U1	<b>Trt. 20</b>	Futong Cui	Proposal to add KDS for sawn crossarms	<p><b>Subcommittee Action:</b> Approved as submitted with 9 yes and 4 no votes, 7 abstentions</p> <p><b>General Committee Ballot:</b> Approved with 42 yes, 6 no, 17 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 13 not persuasive, 16 persuasive, 8 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b> Confirmed failure of ballot item on January 26, 2010. Item does not move forward and is referred to subcommittee.</p>
09F	<b>T28</b>	T2	U1		Futong Cui	Proposal to add KDS for SYP shakes and shingles at 3.0 kg/m3 (0.19 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T29</b>	T2	U1		Futong Cui	Proposal to add KDS for WRC shakes and shingles at 3.0 kg/m3 (0.19 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T30</b>	T2	U1	<b>Trt. 21</b>	Futong Cui	Proposal to add KDS for decking lumber at 7.5 kg/m3 (0.47 pcf)	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 2 no, 6 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 17 not persuasive, 13 persuasive, 7 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T31</b>	T2	U1		Futong Cui	Proposal to add KDS-B for pines/firs for UC1/2/3A/3B at 2.2 kg/m3 (0.14 pcf)	<b>Subcommittee Action:</b> FAILED as submitted with 9 yes and 6 no votes, 6 abstentions.
09F	<b>T32</b>	T2	U1		Futong Cui	Proposal to add KDS-B for red/scots pines for UC1/2/3A/3B at 2.2 kg/m3 (0.14 pcf)	<b>Subcommittee Action:</b> FAILED as submitted with 8 yes and 8 no votes, 5 abstentions.
09F	<b>T33</b>	T2	U1		Futong Cui	Proposal to add KDS-B for pines/firs for UC4A at 4.3 kg/m3 (0.27 pcf)	<b>Subcommittee Action:</b> FAILED as MODIFIED with 7 yes and 6 no votes, 6 abstentions.
09F	<b>T34</b>	T2	U1		Futong Cui	Proposal to add KDS-B for red/scots pines for UC4A at 4.3 kg/m3 (0.27 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T35</b>	T2	U1		Futong Cui	Proposal to add KDS-B for pines/firs for UC4B/4C at 6.0 kg/m3 (0.37 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T36</b>	T2	U1		Futong Cui	Proposal to add KDS for red/scots pines for UC4B/4C at 6.0 kg/m3 (0.37 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T37</b>	T2	U1		Futong Cui	Proposal to add KDS-B for pines/firs/plywood PWF at 6.0 kg/m3 (0.37 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T38</b>	T2	U1		Futong Cui	Proposal to add KDS-B for red/scots pines PWF at 6.0 kg/m3 (0.37 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T39</b>	T2	U1		Futong Cui	Proposal to add KDS-B for highway construction at 6.0 kg/m3 (0.37 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T40</b>	T2	U1		Futong Cui	Proposal to add KDS-B for cooling tower material at 4.3 kg/m3 (0.27 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T41</b>	T2	U1		Futong Cui	Proposal to add KDS-B for sawn crossarms	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T42</b>	T2	U1		Futong Cui	Proposal to add KDS-B for SYP shakes and shingles at 2.2 kg/m3 (0.14 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T43</b>	T2	U1		Futong Cui	Proposal to add KDS-B for WRC shakes and shingles at 2.2 kg/m3 (0.14 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T44</b>	T2	U1		Futong Cui	Proposal to add decking lumber at 4.3 kg/m3 (0.27 pcf)	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T45</b>	T8	U1	<b>Trt. 46</b>	Futong Cui	Proposal to add KDS for plywood for UC1, 2, & 3B at 3.0 kg/m3 (0.19 pcf)	<b>Subcommittee Action:</b> Proposal originally failed; motion to reconsider was approved and proposal was then modified. Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 61 yes, 0 no, 4 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T46</b>	T8	U1	<b>Trt. 47</b>	Futong Cui	Proposal to add KDS for glulam treated prior to gluing for UC1, 2, & 3B at 3.0 kg/m3 (0.19 pcf)	<b>Subcommittee Action:</b> Approved as MODIFIED with 11 yes and 1 no vote <b>General Committee Ballot:</b> Approved with 55 yes, 3 no, 7 abstentions <b>Subcommittee Re-ballot:</b> 17 not persuasive, 2 persuasive, 2 abstention - ballot item moves forward <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T47</b>	T8	U1		Futong Cui	Proposal to add KDS for PSL	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T48</b>	T8	U1	<b>Trt. 48</b>	Futong Cui	Proposal to add KDS-B for plywood for UC1, 2, & 3B at 2.2 kg/m3 (0.14 pcf)	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 60 yes, 1 no, 4 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 15 not persuasive, 4 persuasive, 2 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T49</b>	T8	U1	<b>Trt. 49</b>	Futong Cui	Proposal to add KDS-B for glulam treated prior to gluing for UC1, 2, & 3B at 2.2 kg/m3 (0.14 pcf)	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 4 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 15 not persuasive, 3 persuasive, 3 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T50</b>	T8	U1		Futong Cui	Proposal to add KDS-B for PSL	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>
09F	<b>T51</b>	T4	U1	<b>Trt. 30</b>	Futong Cui	Proposal to add KDS for pines, Douglas-fir, and hemlock posts at 7.5 kg/m3 for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 3 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 13 not persuasive, 13 persuasive, 8 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b> Confirmed failure of ballot item on January 26, 2010. Item does not move forward and is referred to subcommittee.</p>
09F	<b>T52</b>	T4	U1	<b>Trt. 31</b>	Futong Cui	Proposal to add KDS for red/jack/lodgepole pine posts at 7.5 kg/m3 for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 1 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 13 persuasive, 7 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T53</b>	T4	U1	<b>Trt. 32</b>	Futong Cui	Proposal to add KDS for pines, Douglas-fir, and hemlock posts at 0.47 pcf for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 3 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 13 not persuasive, 12 persuasive, 9 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T54</b>	T4	U1	<b>Trt. 33</b>	Futong Cui	Proposal to add KDS for red/jack/lodgepole pine posts at 0.47 pcf for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 1 no, 6 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 13 not persuasive, 13 persuasive, 8 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b></p>
09F	<b>T55</b>	T4	U1		Futong Cui	Proposal to add KDS for pines/Douglas-fir posts for farm use	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>
09F	<b>T56</b>	T4	U1		Futong Cui	Proposal to add KDS for red/jack/lodgepole pine posts for farm use	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>
09F	<b>T57</b>	T4	U1	<b>Trt. 34</b>	Futong Cui	Proposal to add KDS for SYP/other playground equipment sawn posts at 7.5 kg/m <sup>3</sup> (0.47 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 2 no, 6 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 11 persuasive, 8 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T58</b>	T4	U1	<b>Trt. 35</b>	Futong Cui	Proposal to add KDS for red/ponderosa pine playground equipment sawn posts at 7.5 kg/m <sup>3</sup> (0.47 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 1 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 12 persuasive, 8 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	T59	T4	U1	Trt. 36	Futong Cui	Proposal to add KDS for SYP/other playground equipment round posts at 7.5 kg/m3 (0.47 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 1 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 10 persuasive, 9 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	T60	T4	U1	Trt. 37	Futong Cui	Proposal to add KDS for red/ponderosa pine playground equipment round posts at 7.5 kg/m3 (0.47 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 1 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 12 persuasive, 8 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	T61	T4	U1		Futong Cui	Proposal to add KDS for pines and Douglas-fir building poles and posts	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	T62	T4	U1		Futong Cui	Proposal to add KDS for red/ponderosa building poles and posts	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	T63	T4	U1	Trt. 38	Futong Cui	Proposal to add KDS-B for pines, Douglas-fir, and hemlock posts at 5.5 kg/m3 for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 57 yes, 3 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 12 not persuasive, 13 persuasive, 9 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b> Confirmed failure of ballot item on January 26, 2010. Item does not move forward and is referred to subcommittee.</p>

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	T64	T4	U1	Trt. 39	Futong Cui	Proposal to add KDS-B for red/jack/lodgepole pine posts at 5.5 kg/m <sup>3</sup> for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as <b>MODIFIED</b></p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 2 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 13 not persuasive, 14 persuasive, 7 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b> Confirmed failure of ballot item on January 26, 2010. Item does not move forward and is referred to subcommittee.</p>
09F	T65	T4	U1	Trt. 40	Futong Cui	Proposal to add KDS-B for pines, Douglas-fir, and hemlock posts at 0.34 pcf for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as <b>MODIFIED</b></p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 4 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 12 not persuasive, 14 persuasive, 8 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b> Confirmed failure of ballot item on January 26, 2010. Item does not move forward and is referred to subcommittee.</p>
09F	T66	T4	U1	Trt. 41	Futong Cui	Proposal to add KDS-B for red/jack/lodgepole pine posts at 0.34 pcf for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as <b>MODIFIED</b></p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 2 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 13 not persuasive, 14 persuasive, 7 abstentions - ballot item DOES NOT MOVE FORWARD</p> <p><b>Executive Committee Final Action:</b> Confirmed failure of ballot item on January 26, 2010. Item does not move forward and is referred to subcommittee.</p>
09F	T67	T4	U1		Futong Cui	Proposal to add KDS-B for pines/Douglas-fir posts for farm use	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>
09F	T68	T4	U1		Futong Cui	Proposal to add KDS-B for red/jack/lodgepole pine posts for farm use	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>



## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T69</b>	T4	U1	<b>Trt. 42</b>	Futong Cui	Proposal to add KDS-B for SYP/other playground equipment sawn posts at 5.5 kg/m3 (0.34 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as <b>MODIFIED</b></p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 2 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 13 persuasive, 7 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T70</b>	T4	U1	<b>Trt. 43</b>	Futong Cui	Proposal to add KDS-B for red/ponderosa pine playground equipment sawn posts at 5.5 kg/m3 (0.34 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as <b>MODIFIED</b></p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 2 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 13 persuasive, 7 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T71</b>	T4	U1	<b>Trt. 44</b>	Futong Cui	Proposal to add KDS-B for SYP/other playground equipment round posts at 5.5 kg/m3 (0.34 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as <b>MODIFIED</b></p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 2 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 13 persuasive, 7 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T72</b>	T4	U1	<b>Trt. 45</b>	Futong Cui	Proposal to add KDS-B for red/ponderosa pine playground equipment round posts at 5.5 kg/m3 (0.34 pcf) for UC4A	<p><b>Subcommittee Action:</b> Approved unanimously as <b>MODIFIED</b></p> <p><b>General Committee Ballot:</b> Approved with 56 yes, 2 no, 7 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 14 not persuasive, 13 persuasive, 7 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T73</b>	T4	U1		Futong Cui	Proposal to add KDS-B for pines and Douglas-fir building poles and posts	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>
09F	<b>T74</b>	T4	U1		Futong Cui	Proposal to add KDS-B for red/ponderosa building poles and posts	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T75</b>	T1	U1	<b>Trt. 8</b>	Futong Cui	Proposal to add KDS to U1 Section 4 as listed pressure treatment preservative	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 59 yes, 0 no, 6 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T76</b>	T1	U1	<b>Trt. 9</b>	Futong Cui	Proposal to add KDS-B to U1 Section 4 as listed pressure treatment preservative	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 60 yes, 0 no, 5 abstentions <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T77</b>	T1	U1	<b>Trt. 10</b>	Futong Cui	Proposal to add KDS to U1 Section 4 as listed nonpressure treatment preservative	<b>Subcommittee Action:</b> Approved unanimously as submitted <b>General Committee Ballot:</b> Approved with 59 yes, 0 no, 5 abstentions <b>Subcommittee Re-ballot:</b> 8 not persuasive, 1 persuasive, 3 abstentions - ballot item moves forward <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T78</b>	T1	U1		Futong Cui	Proposal to add KDS-B to U1 Section 4 as listed nonpressure treatment preservative	<b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting
09F	<b>T79</b>	T1	T1	<b>Trt. 11</b>	Futong Cui	Proposal to add minimum component retentions to T1 Section 3 for KDS (kg/m3)	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 58 yes, 1 no, 5 abstentions <b>Subcommittee Re-ballot:</b> 10 no persuasive, 2 persuasive, 0 abstentions - ballot item moves forward <b>Executive Committee Final Action:</b> Ratified on January 26, 2010
09F	<b>T80</b>	T1	T1	<b>Trt. 12</b>	Futong Cui	Proposal to add minimum component retentions to T1 Section 3 for KDS-B (kg/m3)	<b>Subcommittee Action:</b> Approved unanimously as MODIFIED <b>General Committee Ballot:</b> Approved with 60 yes, 0 no, 5 abstentions <b>Subcommittee Re-ballot:</b> 10 not persuasive, 2 persuasive, 0 abstentions - ballot item moves forward <b>Executive Committee Final Action:</b> Ratified on January 26, 2010

## AWPA Fall 2009 Standardization Proposals

Cycle	Serial	Comm	Std.	Ballot	Proponent	Description	Action
09F	<b>T81</b>	T1	T1	<b>Trt. 13</b>	Futong Cui	Proposal to add minimum component retentions to T1 Section 3 for KDS (pcf)	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 60 yes, 0 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 10 not persuasive, 2 persuasive, 0 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T82</b>	T1	T1	<b>Trt. 14</b>	Futong Cui	Proposal to add minimum component retentions to T1 Section 3 for KDS-B (pcf)	<p><b>Subcommittee Action:</b> Approved unanimously as MODIFIED</p> <p><b>General Committee Ballot:</b> Approved with 60 yes, 0 no, 5 abstentions</p> <p><b>Subcommittee Re-ballot:</b> 10 not persuasive, 2 persuasive, 0 abstentions - ballot item moves forward</p> <p><b>Executive Committee Final Action:</b> Ratified on January 26, 2010</p>
09F	<b>T83</b>	T1	T1		Kevin Archer	Proposal to add minimum component retentions to T1 Section 3 for ACQ-D at 12.8 kg/m <sup>3</sup> (0.80 pcf)	<p><b>Subcommittee Action:</b> WITHDRAWN by proponent at subcommittee meeting</p>