

TABLE OF CONTENTS: 2025 AWPB BOOK OF STANDARDS

Introduction – Page 1

Introduction.....	1
-------------------	---

Use Category System Standards – Page 7

U1-25: User Specification for Treated Wood	
1. Introduction to the Use Category System.....	7
2. Service Conditions for Use Category Designations	8
3. Guide to Treated Wood End Uses.....	12
4. Standardized Preservatives.....	17
5. Species and Species Groupings.....	19
6. Management of Used Treated Wood	25
Commodity Specifications	26
A. Sawn Products.....	27
B. Posts	44
C. Crossties and Switchties.....	51
D. Poles.....	53
E. Round Timber Piling.....	59
F. Pressure-Treated Wood Composites.....	61
G. Marine (Salt Water) Applications	70
H. Fire Retardants	76
I. Nonpressure Applications.....	78
J. Non-Pressure Treated Wood Composites	79
K. Barrier Protection Systems.....	80

T1-25: Processing and Treatment Standard

Introduction	83
1. General Requirements	84
2. Treatment	85
3. Results of Treatment	86
4. Preservatives	91
5. Quality Control and Inspection	91
6. Retreatment	91
7. Drying After Treatment.....	91
Special Requirements by Commodity.....	92
Section A: Sawn Products.....	92
Section B: Posts	98
Section C: Crossties and Switchties.....	101
Section D: Poles.....	103
Section E: Round Timber Piles.....	110
Section F: Pressure-Treated Wood Composites.....	112
Section G: Marine (Salt Water) Applications	117
Section H: Fire Retardant Treated Products	121
Section I: Millwork and Manufactured Goods.....	122
Section J: Non-Pressure Treated Wood Composites ...	123

Preservative/Protectant Standards – Page 127

P1/P13-24: Standard for Creosote Preservative	127
P2-24: Standard for Creosote Solution.....	128
P3-24: Standard for Creosote-Petroleum Solution	129

P20-18 (<i>Reaffirmed 2021</i>): All Barrier Protection Systems.....	130
P22-20: Standard for Ammoniacal Copper Zinc Arsenate (ACZA).....	132
P23-14 (<i>Reaffirmed 2020</i>): Standard for Chromated Copper Arsenate Type C (CCA-C).....	133
P24-19: (<i>Reaffirmed 2025</i>) Standard for Alkyl Ammonium Compounds, Waterborne (AAC-W)	134
P25-20: Standard for Inorganic Boron (SBX)	135
P26-20: Standard for Alkaline Copper Quat Type A (ACQ-A)	136
P27-20: Standard for Alkaline Copper Quat Type B (ACQ-B)	137
P28-20: Standard for Alkaline Copper Quat Type C (ACQ-C)	138
P29-20: Standard for Alkaline Copper Quat Type D (ACQ-D)	139
P32-25: Standard for Copper Azole Type B (CA-B).....	140
P34-20: Standard for Copper Naphthenate, Waterborne (CuN-W)	141
P35-16 (<i>Reaffirmed 2022</i>): Standard for Pentachlorophenol (PCP).....	142
P36-22: Standard for Copper Naphthenate (CuN)	143
P37-23: Standard for Oxine Copper (Copper 8-Quinolinate) (Cu8).....	144
P38-19 (<i>Reaffirmed 2025</i>): Standard for Alkyl Ammonium Compounds, Oilborne (AAC).....	145
P39-18 (<i>Reaffirmed 2020</i>): Standard for 4,5-Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI).....	146
P40-19 (<i>Reaffirmed 2025</i>): Standard for 3-Iodo-2-Propynyl Butyl-Carbamate (IPBC)	147
P41-14 (<i>Reaffirmed 2020</i>): Standard for Tebuconazole (TEB).....	148
P42-19 (<i>Reaffirmed 2025</i>): Standard for Propiconazole (PPZ)	149
P45-20: Standard for Propiconazole Tebuconazole Imidacloprid (PTI)	150
P47-20: Standard for DCOI/Imidacloprid/Stabilizer, Waterborne (EL2)	151
P48-15 (<i>Reaffirmed 2021</i>): Standard for Copper Azole Type C (CA-C)	152

P49-15 (<i>Reaffirmed 2021</i>): Standard for Fire Retardant FR-1 (FR-1)	153	A7-22: Standard Wet Ashing Procedures for Preparing Wood for Chemical Analysis	185
P50-15 (<i>Reaffirmed 2021</i>): Standard for Fire Retardant FR-2 (FR-2)	154	A9-21: Standard Method for Analysis of Treated Wood and Treating Solutions by X-Ray Spectroscopy	187
P51-20: Standard for Zinc Borate (ZB)	155	A12-25: Wood Densities for Preservative Retention Calculations	193
P52-15 (<i>Reaffirmed 2021</i>): Standard for IPBC-SB-1 (IPBC-SB-1)	156	A13-23: Standard Method of Analysis for Acid Number of Naphthenic Acids in Copper Naphthenate	195
P53-15 (<i>Reaffirmed 2021</i>): Standard for IPBC/PPZ/TEB-SB-1 (IPBC/PPZ/TEB-SB-1)	157	A14-23: Standard Method for Determination of Water-Extractable Copper in Copper Naphthenate	198
P55-22: Standard for Alkaline Copper Betaine (KDS)	158	A15-25: Referee Methods	200
P56-22: Standard for Alkaline Copper Betaine Type B (KDS-B)	159	A16-22: Standard Method for Determination of Didecyldimethyl Ammonium Compounds in Treated Wood by HPLC	201
P57-22: Standard for Alkaline Copper Betaine (KDS) (<i>nonpressure use</i>)	160	A17-15 (<i>Reaffirmed 2021</i>): Standard for Determination of Quaternary Ammonium Compounds in ACQ Solutions	203
P58-21: Standard for 3-Iodo-2-Propynyl Butyl Carbamate/Permethrin (IPBC/PER)	161	A18-24: Standard for Determination of Quaternary Ammonium Compounds in Wood by 2-Phase Titration	205
P59-23: Standard for Chemically Modified Wood, Type A (CM-A)	162	A19-25: Standard Method for Sample Preparation for Determining Penetration of Preservatives in Wood	207
P60-14 (<i>Reaffirmed 2020</i>): Standard for Inorganic Boron, Oilborne (SBX-O)	163	A21-24: Standard Method for the Analysis of Wood and Wood Treating Solutions by Inductively Coupled Plasma Emission Spectrometry	208
P61-25: Standard for Micronized Copper Azole (MCA)	164	A22-17 (<i>Reaffirmed 2023</i>): Standard Method for the Quantitative Determination of Creosote in AWPB P3 Creosote-Petroleum Oil Solutions (CPS)	214
P62-16 (<i>Reaffirmed 2022</i>): Standard for Micronized Copper Azole Type C (MCA-C)	165	A26-20: Standard Method for Analysis of Fire Retardant Solutions and Wood by Titration	216
P63-23 Standard for Micronized Copper Quat Type D (MCQ-D)	166	A28-14 (<i>Reaffirmed 2020</i>): Standard Method for Determination of Propiconazole and Tebuconazole in Waterborne Formulations and in Treating Solutions by HPLC	218
P64-25 Standard for Micronized Copper Azole Penflufen (MCAP)	167	A30-25: Standard Method for the Determination of 4,5 Dichloro-2-N-Octyl-4-Isotiazolin-3-One (DCOI) in Wood and Solutions by High Performance Liquid Chromatography (HPLC)	220
P65-25 Standard for Copper Borax, Encapsulated (CuBE)	168	A31-25: Standard Methods for the Analysis of Solutions and Wood for Azoles by Gas Chromatography (GC)	224
Hydrocarbon Solvent Standards – Page 171		A33-14 (<i>Reaffirmed 2020</i>): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Concentrates and Treating Solutions by Colorimetry	230
HSA-23: Standard for Hydrocarbon Solvent, Type A	171		
HSC-17 (<i>Reaffirmed 2023</i>): Standard for Hydrocarbon Solvent, Type C	172		
HSF-17 (<i>Reaffirmed 2023</i>): Standard for Hydrocarbon Solvent, Type F	173		
HSG-23: Standard for Hydrocarbon Solvent, Type G	174		
HSH-18 (<i>Reaffirmed 2024</i>): Standard for Hydrocarbon Solvent, Type H	175		
Analysis Method Standards – Page 177			
A4-19 (<i>Reaffirmed 2025</i>) : Standard Methods for Sampling Wood Preservatives	177		
A6-20: Standard Method for the Determination of Retention of Oil-Type Preservatives from Small Samples	182		

A34-14 (<i>Reaffirmed 2020</i>): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Wood Treated with HDO Containing Solutions by HPLC	232	A53-17 (<i>Reaffirmed 2023</i>): Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	279
A35-25: The Determination of the Propensity of a Ready-To-Use Oil-borne/Oil Type Wood Preservative Treating Solution to Form Stable Emulsions.....	234	A54-23: Alternate Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	281
A36-20: Standard for Determination of Quaternary Ammonium Compounds in Wood by Potentiometric Back-Titration Using Sodium Lauryl Sulfate and Hyamine 1622	236	A55-23: Standard Method for the Determination of the Specific Gravity of Oil-Type Preservatives	283
A37-23: Standard for Determination of Quaternary Ammonium Compounds and Polymeric Betaine in Wood and Wood Treating Solutions by Potentiometric Titration Using Sodium Tetraphenylborate	240	A57-17 (<i>Reaffirmed 2023</i>): Standard Method for the Determination of Water in Oil-Type Preservatives.....	284
A40-21: Standard Methods for Determination of Boron Trioxide in Treating Solutions and Treated Wood by Potentiometric Titration with Sodium Hydroxide.....	245	A59-23: Standard Method for the Determination of Ammonia in Ammoniacal Preservatives and Fire Retardant Formulations.....	286
A41-24: Standard Method for Determination of Naphthenic Acid in Copper Naphthenate in Wood and Treating Solutions by Gas Chromatography	248	A62-23: Standard Method to Determine the pH of Waterborne Wood Preservative Treating Solutions.....	287
A42-14 (<i>Reaffirmed 2020</i>): Standard Method for Determination of Technical Permethrin and Permethrin Isomers by HPLC Using UV Detection.....	252	A63-17 (<i>Reaffirmed 2023</i>): Standard Method to Determine the Valency State of the Arsenic Component of Arsenic Containing Solutions	288
A43-22: Standard Method for Analysis of Imidacloprid in Wood and Waterborne Formulations.....	255	A64-21: Standard Method to Determine the Amount of Boron Trioxide in Sodium Borate Wood Preservatives	289
A46-20: Standard Method for Determining MCS Stabilizer Concentration in EL2 Treatment Solution Samples by Turbidity Measurement.....	258	A65-21: Standard Method to Determine the Amount of Boron in Treated Wood Using Azomethine-H or Carminic Acid.....	291
A47-20: Standard Method for Determination of MCS Stabilizer Concentration in EL2 Treated Wood and Wood Treatment Solutions.....	260	A66-23: Standard Method for Determination of Chromium in Chromium Containing Preservatives	293
A48-23: Standard Method for Analysis of Propiconazole, Tebuconazole and Imidacloprid in Solutions and Treated Wood Products by High Performance Liquid Chromatography.....	263	A67-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Carbonate in Ammoniacal Copper Zinc Arsenate.....	295
A49-21: Standard for Determination of Heartwood in Pines and Douglas-fir.....	266	A68-22: Standard Method for Determining Penetration of Boron-Containing Preservatives and Fire Retardants	297
A50-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Percent Bound Acetyl and Free Acetic Acid in Acetylated Wood by High Performance Liquid Chromatography.....	268	A69-23: Standard Method to Determine the Penetration of Copper Containing Preservatives	298
A51-19 (<i>Reaffirmed 2025</i>): Standard Method for Determining Penetration of Protectant in Acetylated Wood.....	274	A70-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Pentachlorophenol Using a Silver-Copper Complex Known as Penta-Check	299
A52-17 (<i>Reaffirmed 2023</i>): Standard Method for the Distillation of Creosote and Creosote Solutions	275	A71-24: Standard Method to Determine the Penetration of Solvent Used with Oil-Soluble Preservatives.....	300
		A72-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Copper in Wood Using Rubeanic Acid.....	301
		A73-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Phosphorus Containing Fire Retardants.....	302

A74-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Presence of Hexavalent Chromium (VI) in Wood Treated with Chromium Containing Preservatives	303
A75-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Pentachlorophenol in Poles by X-Ray Fluorescence	304
A76-14 (<i>Reaffirmed 2020</i>): Method for Determining Penetration of Copper-Containing Preservatives	305
A77-18 (<i>Reaffirmed 2024</i>): Beilstein Test for Determining Presence or Penetration of Pentachlorophenol (PCP) in Wood	306
A78-22: Standard Method to Determine the Penetration of Boron Containing Preservatives and Fire Retardants	307
A79-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Total Acidity for Calculating Pentachlorophenol in Dry Chemical	308
A80-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Alkali Insoluble Material in Pentachlorophenol.....	310
A81-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of the Freezing Point of Pentachlorophenol.....	311
A82-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Pentachlorophenol Solvency.....	312
A83-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Chloride for Calculating Pentachlorophenol in Solution or Wood	314
A85-25: Standard Method for Determining Conformance of Co-Solvent Used with Type A Hydrocarbon Solvents to Leaching Resistance (Pentachlorophenol)	322
A86-19 (<i>Reaffirmed 2025</i>): Standard Method to Determine the Conformance of Auxiliary Solvent (Co-Solvent) Used with Type C Hydrocarbon Solvent to Water Solubility Requirement	323
A87-18 (<i>Reaffirmed 2024</i>): Standard Method of Test for Emulsifiability of Type A Hydrocarbon Solvents and/or Auxiliary Solvents Used with Type A Hydrocarbon Solvents.....	324
A88-24: Standard Method for Determination of the Copper Content of Copper Soaps.....	325
A90-18 (<i>Reaffirmed 2024</i>): Standard Method for the Determination of 3-Iodo-2-Propynyl Butyl Carbamate (IPBC) in Treating Solutions	327
A91-24: Standard Method for Determination of Iodine and Chlorine in Wood Using Neutron Activation Analysis.....	329

A92-19 (<i>Reaffirmed 2025</i>): Standard Method for Determining Penetration Using a Fluorescent Dye or Pigment Penetration Surrogate.....	331
A93-23: Standard Method for using Color Machine Vision to Quantify the Extent of Penetration.....	332
A94-24: Standard Method for Determination of IPBC/PER in Solution and Wood Using HPLC and Solid-Phase Extraction.....	335
A95-22: Standard Method for Determination of Mold Inhibitors MIT/CMIT and OIT in Treating Solution by High Performance Liquid Chromatography.....	339
A96-24: Standard Methods for Detecting Copper Containing Preservatives in Treated Wood.....	342
A97-25: Standard Method for Determination of Penflufen in Solutions by High Performance Liquid Chromatography (HPLC)	344

Miscellaneous Standards – Page 349

M1-21: Standard for the Purchase of Treated Wood Products	349
M2-25: Standard for the Inspection of Preservative Treated Products for Industrial Use	353
M3-16 (<i>Reaffirmed 2022</i>): Standard for the Quality Control of Preservative Treated Products for Industrial Use.....	361
M4-23: Standard for the Handling, Storage, Field Fabrication and Field Treatment of Preservative-Treated Wood Products.....	364
M6-24: Brands Used on Preservative Treated Materials	366
M13-21: Guidelines for a Pole Maintenance Program.....	367
M19-17 (<i>Reaffirmed 2023</i>): Standard for Destination Inspections	377
M20-15 (<i>Reaffirmed 2021</i>): Guidelines for Minimizing Oil-Type Wood Preservative Migration.....	378
M21-16 (<i>Reaffirmed 2022</i>): Standard for Quality Control Inspection of Nonpressure Preservative Treated Millwork Products	380
M22-24: Standard for Third-Party Agency Evaluation of Inspection Data.....	382
M23-22: Third-Party Agency Assessment of Treating Plant Internal Quality Control (IQC)	385
M24-15 (<i>Reaffirmed 2021</i>): Standard for Quality Control Inspection of Nonpressure Preservative Treated Composite Wood Products	388
M25-23: Standard for Quality Control and Inspection of Preservative Treated Products for Residential and Commercial Use	390

M26-23: Guidelines for Fixation/Stabilization of Waterborne Preservatives in Poles.....	399	E19-22: Standard Method for Determining Preservative Fixation of Inorganic Waterborne Wood Preservatives	480
M27-20: Protective Barriers for Minimizing Preservative Migration from Piles, Poles and Timber Used in Aquatic Applications	402	E20-21: Standard Method for Determining the Depletion of Wood Preservatives in Soil Contact.....	482
Evaluation Standards – Page 405			
E1-23: Laboratory Methods for Evaluating the Termite Resistance of Wood-Based Materials: Choice and No-Choice Tests	405	E21-18 (<i>Reaffirmed 2024</i>): Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Full-Size Commodity Termite Test.....	485
E4-21: Standard Method of Testing the Efficacy of Water Repellent Formulations	414	E22-22: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures Using Compression Strength: Soil/Wafer Test.....	490
E5-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Marine Applications (UC5A, UC5B, UC5C); Panel and Block Tests.....	416	E23-16 (<i>Reaffirmed 2022</i>): Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact Using Static Bending: Soil Jar Test.....	498
E7-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Stake Test	420	E24-21: Laboratory Method for Evaluating the Mold Resistance of Wood-Based Materials: Mold Chamber Test	502
E8-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Post Test	429	E25-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B): Decking Test	507
E9-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3A and UC3B); L-Joint Test.....	433	E26-21: Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Ground Proximity Termite Test	511
E10-22: Laboratory Method for Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures: Soil/Block Test.....	439	E27-15 (<i>Reaffirmed 2021</i>): Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Accelerated Horizontal Lap Joint Test	518
E11-16 (<i>Reaffirmed 2022</i>): Standard Method for Accelerated Evaluation of Preservative Leaching.....	451	E28-22: Standard Field Test for Serviceability of Decking.....	523
E12-20: Standard Method of Determining Corrosion of Metal in Contact with Treated Wood.....	454	E29-21: Antisapstain Field Test Method for Green Lumber.....	527
E13-21: Standard Method to Determine if Lumber has been Pressure Treated with a Water Repellent.....	457	E30-22: Standard Method for Evaluating Natural Decay Resistance of Woods Using Laboratory Decay Tests.....	531
E14-22: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact: Soil Bed Test	459	E31-24: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used in Ground Contact (UC4): Block Test.....	535
E15-23: Laboratory Method for Evaluating the Efficacy of Diffusible or Volatile Remedial Preservatives Against Pure Basidiomycete Cultures: Inoculated Block Test	464	E32-24: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used Above Ground (UC3B): Modified Post and Rail Test	537
E16-22: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Horizontal Lap-Joint Test.....	467	E33-24: Standard Test Method of Evaluating Wood Preservatives Against Decay in Use Category 2 (UC2).....	540
E17-15 (<i>Reaffirmed 2021</i>): Standard Method for Determining Corrosion Rates of Metals in Contact with Treating Solution.....	472	E34-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Out of Ground Contact: Horizontal Sandwich Method	543
E18-24: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Ground Proximity Decay Test.....	474		

E35-21: Standard Field Test for Evaluation of the Depletion of Wood Preservatives from Wood Used Above Ground; (UC3A and UC3B).....	546
---	-----

Regulations – Page 551

AWPA Technical Committee Regulations.....	551
Annex 1 – Operating Procedures for Accredited Standards Committee O5	567

Guidance Documents – Page 575

GDA-17: Data Requirement Guidelines for Listing Wood Preservatives in the AWPB Standards	575
GDB-13: Guidelines for Evaluating New Fire Retardants for Consideration by AWPB	584
GDC-13: Protocol for Standardization of New Millwork Preservative Systems.....	588
GDD-13: Protocol for Standardization of New Wood Preservative Finishes.....	590
GDE-15: Recommended Method for Determining the Treatability of a Species for Inclusion in the AWPB Use Category System Commodity Specification for Sawn Material.....	593
GDF-21: Guidelines for Evaluating Composite Wood Products Preservative Treated Using Nonpressure Processes	595
GDG-13: Surface Applied Wood Preservative Finish Performance Testing Guidelines	600
GDH-13: Evaluating Preservatives for Remedial Treatment	603
GDI-25: Reaffirmation Requirement Guidelines	607
GDJ-13: Preservatives Review Board Procedures (suspended)	610
GDK-13: Data Requirement Guidelines for Solvents Used with Oil-Borne Preservatives	611
GDL-15: Data Requirement Guidelines for Listing Chemically Modified Wood with Enhanced Durability in the AWPB Standards.....	617

GDM-13: Data Requirement Guidelines for Evaluating Performance Enhancing Additives (PEA)	623
GDN-13: Data Requirements for Listing Thermally Modified Wood with Enhanced Durability in the AWPB Standards.....	625
GDO-19: Guidelines for AWPB Analytical Method Standards.....	631
GDP-19: Standard Practice for Determining Minimum Efficacy Thresholds for New UC4A Preservatives	636

Other Information – Page 641

Technical and Special Committees (February 2025).....	641
Committee Membership Application.....	645
Publications List and Order Form.....	647
AWPB Membership Application.....	649
Factors 0: Unit Conversion Factors	653
Factors 1: Volume and Specific Gravity Conversion Tables for Creosote and Creosote Solution.....	654
Factors 2: Abridged Volume and Specific Gravity Correction Tables for Petroleum Oils and Oilborne Preservative Solutions.....	656
Factors 3: Volumes of Round Forest Products	660
Factors 4: Volume Correction Table for Creosote-Petroleum Solutions	674
Factors 5: Volume Correction Factors for Preservative Salt Solutions	675
Factors 6: Miscellaneous Conversion Factors and Correction Tables.....	676
Factors 7: Approximate Pole Weight Tables	678
Glossary of Terms Used in Wood Protection	685

Recently Withdrawn AWPB Standards

A58-17: Standard Method for Determining Conformance of Distillation Fractions of Creosote or Creosote Solution to Specific Gravity Requirements

A60-17: Standard Method for the Determination of Arsenic in Arsenic Containing Preservatives

A61-17: Standard Method for the Determination of Copper in Copper Containing Preservatives

A20-17: Standard Method for Chlorothalonil Assay

A1-15: Standard Methods for Analysis of Creosote and Oil-Type Preservatives

A2-15: Standard Methods for Analysis of Waterborne Preservatives and Fire Retardant Formulations

A3-15: Standard Methods for Determining Penetration of Preservatives and Fire Retardants

A5-15: Standard Methods for Analysis of Oil-Borne Preservatives

P8-14: Standard for Oil-Borne Preservatives

P18-14: Nonpressure Preservatives

P33-18: Standard for Copper HDO Type A (CX-A)