

TABLE OF CONTENTS: 2020 AWPAA BOOK OF STANDARDS

Introduction – Page 1

Introduction..... 1

Use Category System Standards – Page 7

U1-20: User Specification for Treated Wood

1. Introduction to the Use Category System..... 7
 2. Service Conditions for Use Category Designations 8
 3. Guide to Treated Wood End Uses..... 12
 4. Standardized Preservatives..... 17
 5. Species and Species Groupings..... 19
 Commodity Specifications 25
 A. Sawn Products..... 26
 B. Posts 43
 C. Crossties and Switchties..... 50
 D. Poles..... 52
 E. Round Timber Piling..... 58
 F. Pressure-Treated Wood Composites..... 60
 G. Marine Applications..... 67
 H. Fire Retardant Treated Products..... 73
 I. Nonpressure Applications..... 75
 J. Non-Pressure Treated Wood Composites..... 76
 K. Barrier Protection Systems..... 77

T1-20: Processing and Treatment Standard

Introduction..... 79
 1. General Requirements 80
 2. Treatment 81
 3. Results of Treatment 82
 4. Preservatives 87
 5. Quality Control and Inspection 87
 6. Retreatment 87
 7. Drying After Treatment..... 87
 Special Requirements by Commodity..... 88
 Section A: Sawn Products..... 88
 Section B: Posts 93
 Section C: Crossties and Switchties..... 96
 Section D: Poles..... 98
 Section E: Round Timber Piles..... 105
 Section F: Pressure-Treated Wood Composites..... 107
 Section G: Marine Applications..... 112
 Section H: Fire Retardant Treated Products..... 116
 Section I: Millwork and Manufactured Goods..... 117
 Section J: Non-Pressure Treated Wood Composites.... 118

Preservative/Protectant Standards – Page 121

P1/P13-19: Standard for Creosote Preservative 121
 P2-19: Standard for Creosote Solution..... 122
 P3-19: Standard for Creosote-Petroleum Solution 123

P20-18: All Barrier Protection Systems..... 124
 P22-20: Standard for Ammoniacal Copper Zinc Arsenate (ACZA)..... 126
 P23-14 (*Reaffirmed 2020*): Standard for Chromated Copper Arsenate Type C (CCA-C)..... 127
 P24-19: Standard for Alkyl Ammonium Compound, Waterborne (AAC-W) 128
 P25-20: Standard for Inorganic Boron (SBX) 129
 P26-20: Standard for Alkaline Copper Quat Type A (ACQ-A)..... 130
 P27-20: Standard for Alkaline Copper Quat Type B (ACQ-B) 131
 P28-20: Standard for Alkaline Copper Quat Type C (ACQ-C) 132
 P29-20: Standard for Alkaline Copper Quat Type D (ACQ-D)..... 133
 P32-19: Standard for Copper Azole Type B (CA-B)..... 134
 P33-18: Standard for Copper HDO Type A (CX-A) 135
 P34-20: Standard for Copper Naphthenate, Waterborne (CuN-W) 136
 P35-16: Standard for Pentachlorophenol (PCP)..... 137
 P36-16: Standard for Copper Naphthenate (CuN) 138
 P37-17: Standard for Oxine Copper (Copper 8 Quinolinolate) (Cu8)..... 139
 P38-19: Standard for Alkyl Ammonium Compound, Oilborne (AAC) 140
 P39-18 (*Reaffirmed 2020*): Standard for 4,5-Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI)..... 141
 P40-19: Standard for 3-Iodo-2-Propynyl Butyl-Carbamate (IPBC)..... 142
 P41-14 (*Reaffirmed 2020*): Standard for Tebuconazole (TEB)..... 143
 P42-19: Standard for Propiconazole (PPZ)..... 144
 P45-20: Standard for Propiconazole Tebuconazole Imidacloprid (PTI) 145
 P47-20: Standard for DCOI/Imidacloprid/Stabilizer, Waterborne (EL2) 146
 P48-15: Standard for Copper Azole Type C (CA-C) 147
 P49-15: Standard for Fire Retardant FR-1 (FR-1) 148
 P50-15: Standard for Fire Retardant FR-2 (FR-2) 149
 P51-20: Standard for Zinc Borate (ZB) 150

P52-15: Standard for IPBC-SB-1 (IPBC-SB-1).....	151	A16-16: Standard Method for Determination of Didecyldimethyl Ammonium Compounds in Treated Wood by HPLC	191
P53-15: Standard for IPBC/PPZ/TEB-SB-1 (IPBC/PPZ/TEB-SB-1)	152	A17-15: Standard for Determination of Quaternary Ammonium Compounds in ACQ Solutions	193
P55-16: Standard for Alkaline Copper Betaine (KDS)	153	A18-18: Standard for Determination of Quaternary Ammonium Compounds in Wood by 2-Phase Titration	195
P56-19: Standard for Alkaline Copper Betaine Type B (KDS-B)	154	A19-19: Standard Method for Sample Preparation for Determining Penetration of Preservatives in Wood.....	197
P57-16: Standard for Alkaline Copper Betaine (KDS) (nonpressure use)	155	A20-17: Standard Method for Chlorothalonil Assay	198
P58-15: Standard for 3-Iodo-2-Propynyl Butyl Carbamate/Permethrin (IPBC/PER).....	156	A21-16: Standard Method for Analysis of Wood and Wood Treating Solutions by Inductively Coupled Plasma Emission Spectrometry.....	200
P59-18: Standard for Chemically Modified Wood, Type A (CM-A).....	157	A22-17: Standard Method for the Quantitative Determination of Creosote in AWPB P3 Creosote-Petroleum Oil Solutions (CPS)	204
P60-14 (Reaffirmed 2020): Standard for Inorganic Boron, Oilborne (SBX-O).....	158	A26-20: Standard Method for Analysis of Fire Retardant Solutions and Wood by Titration.....	206
P61-16: Standard for Micronized Copper Azole (MCA).....	159	A28-14 (Reaffirmed 2020): Standard Method for Determination of Propiconazole and Tebuconazole in Waterborne Formulations and in Treating Solutions by HPLC	208
P62-16: Standard for Micronized Copper Azole Type C (MCA-C)	160	A30-18: Standard Method for the Determination of 4,5 Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI) in Wood and Solutions by High Performance Liquid Chromatography (HPLC).....	210

Hydrocarbon Solvent Standards – Page 163

HSA-18: Standard for Hydrocarbon Solvent, Type A	163
HSC-17: Standard for Hydrocarbon Solvent, Type C.....	164
HSF-17: Standard for Hydrocarbon Solvent, Type F.....	165
HSG-18: Standard for Hydrocarbon Solvent, Type G	166
HSH-18: Standard for Hydrocarbon Solvent, Type H	167

Analysis Method Standards – Page 169

A4-19: Standard Methods for Sampling Wood Preservatives	171
A6-20: Standard Method for the Determination of Retention of Oil-Type Preservatives from Small Samples	173
A7-19: Standard Wet Ashing Procedures for Preparing Wood for Chemical Analysis.....	176
A9-20: Standard Method for Analysis of Treated Wood and Treating Solutions by X-Ray Spectroscopy	177
A12-19: Wood Densities for Preservative Retention Calculations.....	183
A13-17: Standard Method of Analysis for Acid Number of Naphthenic Acids in Copper Naphthenate.....	185
A14-17: Standard Method for Determination of Water-Extractable Copper in Copper Naphthenate.....	188
A15-19: Referee Methods	190

A16-16: Standard Method for Determination of Didecyldimethyl Ammonium Compounds in Treated Wood by HPLC	191
A17-15: Standard for Determination of Quaternary Ammonium Compounds in ACQ Solutions	193
A18-18: Standard for Determination of Quaternary Ammonium Compounds in Wood by 2-Phase Titration	195
A19-19: Standard Method for Sample Preparation for Determining Penetration of Preservatives in Wood.....	197
A20-17: Standard Method for Chlorothalonil Assay	198
A21-16: Standard Method for Analysis of Wood and Wood Treating Solutions by Inductively Coupled Plasma Emission Spectrometry.....	200
A22-17: Standard Method for the Quantitative Determination of Creosote in AWPB P3 Creosote-Petroleum Oil Solutions (CPS)	204
A26-20: Standard Method for Analysis of Fire Retardant Solutions and Wood by Titration.....	206
A28-14 (Reaffirmed 2020): Standard Method for Determination of Propiconazole and Tebuconazole in Waterborne Formulations and in Treating Solutions by HPLC	208
A30-18: Standard Method for the Determination of 4,5 Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI) in Wood and Solutions by High Performance Liquid Chromatography (HPLC).....	210
A31-15: Standard Methods for the Analysis of Solutions and Wood for Azoles by Gas Chromatography (GC)	214
A33-14 (Reaffirmed 2020): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Concentrates and Treating Solutions by Colorimetry.....	218
A34-14 (Reaffirmed2020): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Wood Treated with HDO Containing Solutions by HPLC.....	220
A35-19: The Determination of the Propensity of a Ready-To-Use Oilborne/Oil-Type Wood Preservative Treating Solution to Form Stable Emulsions	222
A36-20: Standard for Determination of Quaternary Ammonium Compounds in Wood by Potentiometric Back-Titration Using Sodium Lauryl Sulfate and Hyamine 1622.....	224
A37-17: Standard for Determination of Quaternary Ammonium Compounds in Wood and Wood Treating Solutions by Potentiometric Titration Using Sodium Tetraphenylborate.....	228

A40-18: Standard Methods for Determination of Boron Trioxide in Treating Solutions and Treated Wood by Potentiometric Titration with Sodium Hydroxide.....	233	A60-17: Standard Method for the Determination of Arsenic in Arsenic Containing Preservatives.....	273
A41-18: Standard Method for Determination of Naphthenic Acid in Copper Naphthenate in Wood and Treating Solutions by Gas Chromatography	236	A61-17: Standard Method for the Determination of Copper in Copper Containing Preservatives	275
A42-14 (<i>Reaffirmed 2020</i>): Standard Method for Determination of Technical Permethrin and Permethrin Isomers by HPLC Using UV Detection.....	240	A62-17: Standard Method to Determine the pH of Waterborne Treating Solutions	277
A43-20: Standard Method for Analysis of Imidacloprid in Wood and Waterborne Formulations.....	243	A63-17: Standard Method to Determine the Valency State of the Arsenic Component of Arsenic Containing Solutions.....	278
A46-20: Standard Method for Determining MCS Stabilizer Concentration in EL2 Treatment Solution Samples by Turbidity Measurement.....	248	A64-17: Standard Method to Determine the Amount of Boron Trioxide in Sodium Borate Wood Preservatives	279
A47-20: Standard Method for Determination of MCS Stabilizer Concentration in EL2 Treated Wood and Wood Treatment Solutions.....	247	A65-15: Standard Method to Determine the Amount of Boron in Treated Wood Using Azomethine-H or Carminic Acid.....	281
A48-15: Standard Method for Analysis of Propiconazole, Tebuconazole and Imidacloprid in Solutions and Treated Wood Products by High Performance Liquid Chromatography.....	250	A66-17: Standard Method for Determination of Chromium in Chromium Containing Preservatives	283
A49-15: Standard for Determination of Heartwood in Pines and Douglas-fir	252	A67-18: Standard Method for Determination of Carbonate in Ammoniacal Copper Zinc Arsenate	285
A50-18: Standard Method for Determination of Percent Bound Acetyl and Free Acetic Acid in Acetylated Wood by High Performance Liquid Chromatography.....	254	A68-16: Standard Method for Determining Penetration of Boron-Containing Preservatives and Fire Retardants.....	287
A51-19: Standard Method for Determining Penetration of Protectant in Acetylated Wood	259	A69-18: Standard Method to Determine the Penetration of Copper Containing Preservatives	288
A52-17: Standard Method for the Distillation of Creosote and Creosote Solutions.....	260	A70-18: Standard Method to Determine the Penetration of Pentachlorophenol Using a Silver-Copper Complex Known as Penta-Check.....	289
A53-17: Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	264	A71-18: Standard Method to Determine the Penetration of Solvent Used with Oil-Soluble Preservatives	290
A54-17: Alternate Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions	266	A72-18: Standard Method to Determine the Penetration of Copper in Wood Using Rubenic Acid	291
A55-17: Standard Method for the Determination of the Specific Gravity of Oil-Type Preservatives.....	268	A73-18: Standard Method to Determine the Penetration of Phosphorus Containing Fire Retardants	292
A57-17: Standard Method for the Determination of Water in Oil-Type Preservatives	269	A74-18: Standard Method to Determine the Presence of Hexavalent Chromium (VI) in Wood Treated with Chromium Containing Preservatives	293
A58-17: Standard Method for Determining Conformance of Distillation Fractions of Creosote or Creosote Solution to Specific Gravity Requirements.....	271	A75-18: Standard Method to Determine the Penetration of Pentachlorophenol in Poles by X-Ray Fluorescence	294
A59-17: Standard Method for the Determination of Ammonia in Ammoniacal Preservatives and Fire Retardant Formulations	272	A76-14 (<i>Reaffirmed 2020</i>): Method for Determining Penetration of Copper-Containing Preservatives	295
		A77-18: Beilstein Test for Determining Presence or Penetration of Pentachlorophenol (PCP) in Wood.....	296
		A78-16: Standard Method to Determine the Penetration of Boron Containing Preservatives and Fire Retardants.....	297

A79-18: Standard Method for Determination of Total Acidity for Calculating Pentachlorophenol in Dry Chemical298

A80-18: Standard Method for Determination of Alkali Insoluble Material in Pentachlorophenol.....300

A81-18: Standard Method for Determination of the Freezing Point of Pentachlorophenol301

A82-18: Standard Method for Determination of Pentachlorophenol Solvency302

A83-18: Standard Method for Determination of Chloride for Calculating Pentachlorophenol in Solution or Wood304

A85-19: Standard Method for Determining Conformance of Co-Solvent Used with Type A Hydrocarbon Solvents to Leaching Resistance (Pentachlorophenol)312

A86-19: Standard Method to Determine the Conformance of Auxiliary Solvent (Co-Solvent) Used with Type C Hydrocarbon Solvent to Water Solubility Requirement313

A87-18: Standard Method of Test for Emulsifiability of Type A Hydrocarbon Solvents and/or Auxiliary Solvents Used with Type A Hydrocarbon Solvents314

A88-18: Standard Method for Determination of the Copper Content of Copper Soaps.....315

A90-18: Standard Method for the Determination of 3-Iodo-2-Propynyl Butyl Carbamate (IPBC) in Treating Solutions.....317

A91-18: Standard Method for Determination of Iodine and Chlorine in Wood Using Neutron Activation Analysis.....319

A92-19: Standard Method for Determining Penetration Using a Fluorescent Dye or Pigment Penetration Surrogate321

A93-19: Standard Method for using Color Machine Vision to Quantify the Extent of Penetration322

A94-18: Standard Method for Determination of IPBC/PER in Solution and Wood Using HPLC and Solid-Phase Extraction324

A95-20: Standard Method for Determination of Mold Inhibitors MIC/CMIT and OITT in Treating Solution by High Performance Liquid Chromatography328

Miscellaneous Standards – Page 333

M1-20: Standard for the Purchase of Treated Wood Products.....333

M2-19: Standard for the Inspection of Preservative Treated Products for Industrial Use.....337

M3-16: Standard for the Quality Control of Preservative Treated Products for Industrial Use..... 344

M4-15: Standard for the Care of Preservative-Treated Wood Products..... 347

M6-18: Brands Used on Preservative Treated Materials 349

M13-15: Guidelines for a Pole Maintenance Program..... 350

M19-17: Standard for Destination Inspections 360

M20-15: Guidelines for Minimizing Oil-Type Wood Preservative Migration..... 361

M21-16: Standard for Quality Control Inspection of Nonpressure Preservative Treated Millwork Products..... 363

M22-19: Standard for Third-Party Agency Evaluation of Inspection Data..... 365

M23-16: Third-Party Agency Assessment of Treating Plant Internal Quality Control (IQC) 368

M24-15: Standard for Quality Control Inspection of Nonpressure Preservative Treated Composite Wood Products 371

M25-19: Standard for Quality Control and Inspection of Preservative Treated Products for Residential and Commercial Use 373

M26-17: Guidelines for Fixation/Stabilization of Waterborne Preservatives in Poles..... 380

M27-20: Protective Barriers for Minimizing Preservative Migration from Piles, Poles and Timber Used in Aquatic Applications 383

Evaluation Standards – Page 387

E1-17: Laboratory Methods for Evaluating the Termite Resistance of Wood-Based Materials: Choice and No-Choice Tests 387

E4-15: Standard Method of Testing Water Repellency of Pressure Treated Wood..... 392

E5-15: Standard Field Test for Evaluation of Wood Preservatives to be Used in Marine Applications (UC5A, UC5B, UC5C); Panel and Block Tests..... 394

E7-15: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Stake Test..... 398

E8-15: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Post Test..... 406

E9-15: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3A and UC3B); L-Joint Test 410

E10-16: Laboratory Method for Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures: Soil/Block Test.....	414	E27-15: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Accelerated Horizontal Lap Joint Test.....	491
E11-16: Standard Method for Accelerated Evaluation of Preservative Leaching.....	426	E28-16: Standard Field Test for Serviceability of Decking.....	496
E12-20: Standard Method of Determining Corrosion of Metal in Contact with Treated Wood.....	429	E29-15: Antisapstain Field Test Method for Green Lumber.....	499
E13-15: Standard Method of Testing to Determine if Lumber has been Pressure Treated with a Water Repellent	432	E30-16: Standard Method for Evaluating Natural Decay Resistance of Woods Using Laboratory Decay Tests.....	503
E14-16: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact: Soil Bed Test	433	E31-18: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used in Ground Contact (UC4): Block Test.....	507
E15-17: Laboratory Method for Evaluating the Efficacy of Diffusible or Volatile Remedial Preservatives Against Pure Basidiomycete Cultures: Inoculated Block Test	438	E32-18: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used Above Ground (UC3B): Modified Post and Rail Test	509
E16-16: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Horizontal Lap-Joint Test.....	441	E33-18: Standard Test Method of Evaluating Wood Preservatives Against Decay in Use Category UC2	512
E17-15: Standard Method for Determining Corrosion Rates of Metals in Contact with Treating Solution	446	Regulations – Page 517	
E18-18: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Ground Proximity Decay Test.....	448	AWPA Technical Committee Regulations	517
E19-16: Standard Method for Determining Preservative Fixation of Inorganic Waterborne Wood Preservatives	453	Annex 1 – Operating Procedures for Accredited Standards Committee O5	531
E20-15: Standard Method for Determining the Depletion of Wood Preservatives in Soil Contact.....	455	Guidance Documents – Page 538	
E21-18: Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Full-Size Commodity Termite Test	458	GDA-17: Data Requirement Guidelines for Listing Wood Preservatives in the AWPA Standards	538
E22-16: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures Using Compression Strength: Soil/Wafer Test.....	463	GDB-13: Guidelines for Evaluating New Fire Retardants for Consideration by AWPA.....	547
E23-16: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact Using Static Bending: Soil Jar Test	471	GDC-13: Protocol for Standardization of New Millwork Preservative Systems	551
E24-16: Laboratory Method for Evaluating the Mold Resistance of Wood-Based Materials: Mold Chamber Test.....	475	GDD-13: Protocol for Standardization of New Wood Preservative Finishes	553
E25-15: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Decking Test	480	GDE-15: Recommended Method for Determining the Treatability of a Species for Inclusion in the AWPA Use Category System Commodity Specifications for Sawn Material.....	556
E26-15: Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Ground Proximity Termite Test.....	484	GDF-17: Guidelines for Evaluating Composite Wood Products Preservative Treated Using Nonpressure Processes.....	558
		GDG-13: Surface Applied Wood Preservative Finish Performance Testing Guidelines.....	563
		GDH-13: Evaluating Preservatives for Remedial Treatment.....	566
		GDI-13: Reaffirmation Requirement Guidelines.....	570
		GDJ-13: Preservatives Review Board Procedures (suspended).....	573

GDK-13: Data Requirement Guidelines for Solvents Used with Oil-borne Preservatives.....	574	AWPA Standardization Proposal Form	610
GDL-15: Data Requirement Guidelines for Listing Chemically Modified Wood with Enhanced Durability in the AWWPA Standards	580	Publications List and Order Form.....	611
GDM-13: Data Requirement Guidelines for Evaluating Performance Enhancing Additives (PEA).....	586	AWPA Membership Application.....	613
GDN-13: Data Requirements for Listing Thermally Modified Wood with Enhanced Durability in the AWWPA Standards	588	Factors 0: Unit Conversion Factors	617
GDO-19: Guidelines for AWWPA Analytical Method Standards.....	594	Factors 1: Volume and Specific Gravity Conversion Tables for Creosote and Creosote Solution.....	618
GDP-19: Standard Practice for Determining Minimum Efficacy Thresholds for New UC4A Preservatives	599	Factors 2: Abridged Volume and Specific Gravity Correction Tables for Petroleum Oils and Pentachlorophenol and Copper Naphthenate Solutions	620
		Factors 3: Volumes of Round Forest Products	624
		Factors 4: Volume Correction Table for Creosote-Petroleum Solutions	638
		Factors 5: Volume Correction Factors for Preservative Salt Solutions	639
		Factors 6: Miscellaneous Conversion Factors and Correction Tables.....	640
		Factors 7: Approximate Pole Weight Tables	642
		Glossary of Terms Used in Wood Protection	649
Other Information – Page 605			
Technical and Special Committees (February 2020)	605		
Committee Membership Application	609		

Recently Withdrawn AWWA Standards

- A1-15: Standard Methods for Analysis of Creosote and Oil-Type Preservatives
- A2-15: Standard Methods for Analysis of Waterborne Preservatives and Fire Retardant Formulations
- A3-15: Standard Methods for Determining Penetration of Preservatives and Fire Retardants
- A5-15: Standard Methods for Analysis of Oil-Borne Preservatives
- A32-10: Standard Method for Measuring Losses of Inorganic Preservatives from Treated Wood
- A38-04: Standard Method for Determination of PXTS in Treated Wood by HPLC with UV Detection
- A39-05: Standard Method for Determination of PXTS in Wood Treatment Solutions by HPLC with UV Detection
- A44-08: Standard Method for Determination of Cyproconazole in Solventborne Wood Treating Solutions by HPLC
- A45-08: Standard Method for Determination of Cyproconazole in Wood Extracts by HPLC
- A56-11: Standard Method for the Determination of the Specific Gravity of Distillation Fractions and Residue
- A84-12: Standard Method for Determination of Copper in Copper Naphthenate Solution or in Wood Treated with Copper Naphthenate
- A89-12: Standard Method for Colorimetric Analysis of Copper in Copper Naphthenate Treated Wood or Copper Naphthenate Solutions
- E6-05: Standard Method for Determining the Equilibrium Moisture Content of Treated Wood
- M18-05: Standard Quality Control Procedures for Permanent Wood Foundation Materials
- P4-11: Standard for Petroleum Oil for Blending with Creosote
- P5-11: Standard for Waterborne Preservatives
- P8-14: Standard for Oil-Borne Preservatives
- P9-10: Standards for Solvents and Formulations for Organic Preservative Systems
- P18-14: Nonpressure Preservatives
- P19-04: Standard for Oligomeric Alkylphenol Polysulfide (PXTS) Preservative
- P21-11: Standard for Acid Copper Chromate (ACC)
- P30-08: Standard for Copper bis(dimethyldithiocarbamate) (CDDC)
- P43-08: Standard for Chlorpyrifos (CPF)
- P44-08: Standard for Permethrin (PER)
- P46-08: Standard for Cyproconazole (CPZ)
- P54-09: Standard for Alkaline Copper DCOI (ACD)

Notes:

AWPA "C Standards" (e.g., C1, C2, C9, etc.) were last updated during the Fall 2002 Standardization Cycle and final editions were printed in the 2003 and 2004 AWWA Books of Standards. All specifications for treated wood products from the C Standards are now found in the AWWA Use Category System Standards U1 and T1. If you are a specifier, you may simply change all of your C Standard references to AWWA Standard U1. If you are a manufacturer of treated wood products, you will need to refer to Standard T1 for the treating requirements to enable you to determine conformance to Standard U1. If references to the C Standards are still needed, individual standards may be purchased online at www.awpa.com or by contacting AWWA to purchase older editions of the Book of Standards.

AWPA "F Standards" (e.g., F1, F2, etc.) were withdrawn as AWWA Standards during the Fall 2008 Standardization Cycle and are now printed as "Factors" tables in the back of the AWWA Book of Standards.